

Cumulative Subject Index Vols. 97-99

Absorption

- amorphization of RFe_2 Laves phases by hydrogen absorption, 1 35
- changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, 1 223

Activation energy

- algorithm to calculate activation energy spectra for structural relaxation in amorphous alloys, 1 545
- Gaussian activation energy spectra in reversible and irreversible structural relaxation, 1 469

Aerospace

- high performance aerospace alloys via rapid solidification processing, 2 1

Age hardening

- age hardening response in rapidly quenched Mo alloys, 2 363

Alloying effects

- alloying effects on the processing and properties of melt spun Ni-metalloid ribbons, 1 207

Aluminium

- annealing behaviour of rapid solidification processed Al-Mo alloys, 2 185
- characteristics of $\text{Ni}_3\text{Al} + \text{Fe}$ powders produced by spark erosion quenching, 2 33
- characterization and kinetics of the crystallization of Al-Ni-Si amorphous alloys, 1 387
- development of Al-Cr-X and Al-Cr-Zr-X alloys by rapid solidification from the melt, 2 143
- electron-microscopic investigation of the transformation behaviour of $\text{Al}_6\text{Mg}_4\text{Cu}$ quasicrystalline alloy, 3 393
- evaluation of Al and Ni alloy materials produced by spray deposition, 2 227
- formation and crystallization of amorphous phases in the Ti-Be-Al system, 1 379
- high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni-Fe-Al system 2 515
- hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, 2 419
- improved corrosion resistance of rapidly solidified Fe-Al bronzes, 3 493
- investigation of a rapidly solidified Al-Cr alloy using field ion microscopy-atom probe analysis and high resolution electron microscopy, 2 197
- long-range ordering in rapidly quenched Ti-Al compounds, 2 169
- microstructural characterization of rapidly solidified Al-Si alloys, 2 149
- microstructural coarsening at high temperatures in rapidly solidified Ti-5wt.%Al-2.9wt.%Y and Ti-5wt.%Al-7.5wt.%Th, 2 173
- microstructural development in a rapidly solidified Al-5Mn-2.5Cr alloy, 2 437
- microstructural stability of rapidly quenched Al-Fe alloys: influence of Zr, 2 191
- microstructure and soft magnetic properties of rapidly solidified Fe-Al alloys, 3 91
- microstructure development in undercooled Al-Al₂ alloys, 2 153
- microstructure of rapidly solidified Al alloy powders for elevated temperature applications, 2 221
- microstructure of rapidly solidified Al-Cr-Fe powder, 2 61

microstructures of rapidly solidified and heat-treated

- Al-8Fe-2Mo-Si alloys, 2 131
 - microstructure of $\text{Ti}_3\text{Al} + \text{Nb}$ alloys produced via rapid solidification processing, 2 395
 - new quasi-crystalline and amorphous phases in rapidly quenched Al-Ge-(Cr, Mn) and Al-Si-(Cr, Mn) alloys with high metalloid concentrations, 3 449
 - pathways for microstructural development in TiAl, 2 265
 - preparation and electrical properties of aluminium-based ternary and quaternary quasicrystals, 3 435
 - production of rapidly solidified Al-Pb-Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, 2 119
 - rapid solidification and ordering of B2 and L2₁ phase in the NiAl-NiTi system, 2 273
 - rapid solidification of Al-rich Al-V alloys, 2 207
 - rapid solidification of peritectic Al alloys, 2 217
 - rapidly solidified Fe-Ni-Al-C alloys: metastable phase formation, 2 277
 - shape memory effects in rapidly quenched Cu-12%Al and Cu-12%Al-1%Si alloys, 2 509
 - solidification of an "amorphous" phase in rapidly solidified Al-Fe-Si alloys, 2 213
 - solidification structures of planar flow cast Fe-(20-47)at.%Al ribbons, 2 295
 - stability of quasicrystalline phases in Al-Fe-V alloys, 3 407
 - structure of icosahedral Al-Mg-Cu alloy, 3 423
 - structure, properties and fracture of electron beam welds in RS-PM Al-8Fe-Mo, 2 137
 - study of small-angle X-ray scattering of Al-Ag alloys quenched from the liquid state, 2 233
 - technique for evaluating Al alloys for high pressure gas atomization, 2 115
 - tensile and fatigue properties of two high strength Al alloys prepared by rapid solidification technology, 2 475
 - tetragonal distortion and its relaxation in rapidly quenched L1₀ TiAl compounds, 2 269
- Al-Mn
- crystallization of icosahedral Al-Mn-Si, 3 399
 - crystallization of the Al-Mn icosahedral phase, 3 389
 - effect of solidification front velocity on the characteristics of Al-rich Al-Mn alloy solutions extended by rapid solidification, 2 201
 - electron transport in co-evaporated thin film and melt-spun ribbon $\text{Al}_{1-x}\text{Mn}_x$ alloys, 3 219
 - electronic properties and resonant states in Al-Mn(-Si) alloys, 3 353
 - electronic structure of quasicrystalline Al-Mn in comparison with amorphous and crystalline alloys, 3 361
 - high pressure induced crystallization of rapidly solidified Al-Fe and Al-Mn quasicrystalline alloys, 3 413
 - high pressure structural study of quasicrystalline Al-Mn, 3 403
 - influence of the quenching conditions on the formation of the icosahedral phase in Al-Mn alloys, 3 453
 - low temperature calorimetric and magnetic properties of Al-Mn and Al-Mn-Si quasicrystals, 3 439
 - pain distribution function in icosahedral Al-Mn-Si alloy, 3 427
 - peritectoid transformation of quasicrystals in Al-Mn alloys, 3 417

Al-Mn (continued)

quasicrystals and quasicrystal-related phases in the Al-Mn system, 3 331

structure of quasicrystalline Al-Mn-Ru: X-ray and neutron studies, 3 345

thermal stability of the icosahedral phase in Al-Mn (Mn = 4–15 at.%) alloys prepared by planar flow casting, 3 385

Amorphization

amorphization of Co-rich magnetic alloys by high energy ball milling, 1 125

amorphization of metalloid-rich ferritic steel by a continuous CO₂ laser: a microstructural investigation, 2 291

amorphization of RFe₂ Laves phase by hydrogen absorption, 1 35

differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, 1 83

early stages of the solid state amorphization of crystalline layers, 1 63

formation of amorphous alloys by solid state reactions, 1 71

formation of amorphous phase by solid state reaction in elemental composites prepared by cold rolling, 1 129

ion irradiation during a solid state amorphization reaction, 1 97

solid state amorphization in Ni/Ti multilayers, 1 101

strain-driven solid state amorphization of binary transition metal alloys, 1 93

X-ray diffraction study of the amorphization process in mechanical alloying of the Ni-Ti system, 1 43

Amorphous metals

impact of amorphous metals on the field of soft magnetic materials, 3 1

Anelastic relaxation

anelastic relaxation in amorphous Pd_{39.5}Ni_{39.5}P₂₁, 1 541

Anisotropy

influence of the induced anisotropy on the magnetic

after-effect in amorphous Co₅₈Ni₁₀Fe₅Si₁₁B₁₆ alloy, 1 519

Annealing

annealing behavior of rapid solidification processed Al-Mo alloys, 2 185

Antimony

glass transition, crystallization and melting in Au-Pb-Sb alloys, 1 301

Applications

chemical properties and applications of some amorphous alloys, 3 475

Atom probe analysis

investigation of a rapidly solidified Al-Cr alloy using field ion microscopy-atom probe analysis and high resolution electron microscopy, 2 197

Atomic structure

atomic structure of quasicrystals, 3 323

Atomization

amorphous alloy powders with dispersed carbonitride particles prepared by high pressure nitrogen atomization, 1 153

process control during high pressure atomization, 2 47

Avrami exponent

local value of the Avrami exponent: a new approach to devitrification of glassy metallic ribbons, 1 241

Ball milling

amorphization of Co-rich magnetic alloys by high energy ball milling, 1 125

Beryllium

formation and crystallization of amorphous phases in the Ti-Be-Al system, 1 379

Binary alloys

liquid-glass transitions of binary alloys, 1 215

Bismuth

influence of Cu additions on the crystallizations of

amorphous Fe-Bi-Si alloys, 1 361

structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb-Bi-Ge, 2 347

Boron

absence of thermal embrittlement in some Fe-B and Fe-Si and Fe-Si-B glassy alloys, 2 491

behaviour of electrical resistivity in amorphous Co_{100-x}B_x alloys, 3 227

comparative performance of Nd-(Fe, Co)-B magnets formed by rapid quenching and by sintering, 3 123

compositional correlations in the crystallization of

Fe-transition-metal-B glasses, 1 325

compositional dependence of magnetostriction of

amorphous Co-Fe-B and Co-Ni-B alloys, 3 109

crystallization and nucleation mechanisms in well-prepared Ni-Si-B boron glass, 1 365

crystallization kinetics of Co_{88-x}Fe_xB₂₀ amorphous alloys, 1 337

crystallization of Ni-B metallic glasses with high boron contents, 1 343

crystallization process of Ni₇₈Si₈B₁₄ amorphous alloys, 1 333

decomposition of formic acid on Fe₈₀B₂₀ metallic glass, 3 547

depth profile of the crystallization of Fe₈₀B₂₀ metallic glass, 1 369

diffusivity of H in amorphous Ni₈₁P₁₉ and

Ni₇₀Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8} alloys, 1 437

embrittlement of Ni-Ti-B glasses during crystallization, 1 279

fatigue crack propagation in an Ni₇₈Si₁₀B₁₂ metallic glass with amorphous and partially crystalline structures, 2 501

influence of P and S additions on the mechanical, surface and thermal properties of Fe₇₈B₁₃Si₉ amorphous alloy, 2 495

influence of the induced anisotropy on the magnetic

after-effect in amorphous Co₅₅Ni₁₀Fe₅Si₁₁B₁₆ alloy, 1 519

low temperature internal friction peaks and thermoelastic damping in Ni₇₈Si₈B₁₄ and CoZr₂ metallic glasses, 1 501

magnetic hardening in melt-spun Fe-R-B alloys, 3 137

magnetic properties of amorphous FeC-SiB alloys annealed in a rotating magnetic field, 3 53

microstructural stability of rapidly-solidified Cu-B alloys, 2 161

microstructure studies in Nd₂(Fe_{0.9}Co_{0.1})₁₄B thin films, 3 153

precipitation hardening in rapidly quenched Ti-Zr-B alloys, 2 179

rare-earth-Fe-B permanent magnets by rapid solidification processing, 3 11

scattering mechanisms and transport properties of

Fe-transition metal-B amorphous alloys, 3 223

segregation and structural effects of B in rapidly solidified Cu-B alloys, 3 513

soft magnetic properties of crystalline Co-Fe-Si-B alloys prepared by sputtering, 3 57

structure analyses of amorphous melt-spun Fe-Zr-(B,Si) alloys and mechanically alloyed Fe-Zr powders, 1 59

study of thermal relaxation and crystallization of an

Fe₈₁B_{13.5}Si_{3.5}C₂ amorphous ribbon, 1 321

X-ray absorption near edge structure (XANES)—criterion for modelling the three-dimensional structure of

amorphous Fe₈₀B₂₀, 1 169

X-ray diffraction study of the crystallization characteristics of amorphous Co-B ribbons, 1 329

Bubble growth

surface deformation and bubble growth in amorphous alloys due to noble gas implantations, 2 523

- Calcium**
 electronic structure and electron transport in Ca-Mg-Cu metallic glasses, 3 295
- Calorimetric properties**
 low temperature calorimetric and magnetic properties of Al-Mn and Al-Mn-Si quasicrystals, 3 439
- Carbon**
 behaviour of Fe-Cr-P-C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy-solution interface, 3 529
 mechanical and magnetic properties of amorphous FeCrPC ribbons and wires, 2 539
 rapidly solidified Fe-Ni-Al-C alloys: metastable phase formation, 2 277
 structural changes of amorphous $\text{Fe}_{1-x}\text{C}_x$ alloys at $x \approx 0.32$, 3 31
 structural model for commensurate and non-periodic carbides formed by crystallization of amorphous Fe-C alloys, 1 273
 structures and properties of rapidly solidified Fe-Ni-Cr-C-based alloys, 2 285
 study of thermal relaxation and crystallization of an $\text{Fe}_{81}\text{B}_{13.5}\text{Si}_{3.5}\text{C}_2$ amorphous ribbon, 1 321
 viscoplastic properties of Fe-Cr-P-C amorphous alloys, 1 493
- Carbonitride**
 amorphous alloy powders with dispersed carbonitride particles prepared by high pressure nitrogen atomization, 1 153
- Cast iron**
 laser surface melting of a pearlitic grey cast iron, 2 305
- Catalysts**
 amorphous alloy catalysts for electro-oxidation of methanol and its derivatives in a sulphuric acid solution, 3 521
 investigation of the microstructure of an $\text{Fe}_{91}\text{Zr}_9$ catalyst prepared from the amorphous alloy, 3 501
- Ceramics**
 joining mechanism of ceramics to metals using an amorphous Ti-based filler metal, 2 407
- Cerium**
 changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, 1 223
- Characterization**
 characterization and kinetics of the crystallization of Al-Ni-Si amorphous alloys, 1 387
- Chemical properties**
 see 3 457-536
- Chromium**
 behaviour of Fe-Cr-P-C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy-solution interface, 3 529
 Co-Cr thin film preparation by facing targets sputtering, 2 53
 corrosion resistance and passive layer formation in amorphous binary Cr alloys, 3 483
 development of Al-Cr-X and Al-Cr-Zr-X alloys by rapid solidification from the melt, 2 143
 diffusivity of H in amorphous $\text{Ni}_{18}\text{P}_{19}$ and $\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8}\text{B}_{12.8}$ alloys, 1 437
 electrical resistivity of Fe-Cr- and Ni-Cr-based amorphous alloys, 3 207
 electrochemistry of Cr-base binary metallic glasses, 3 525
 investigation of a rapidly solidified Al-Cr alloy using field ion microscopy-atom probe analysis and high resolution electron microscopy, 2 197
 kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, 1 537
 mechanical and magnetic properties of amorphous FeCrPC ribbons and wires 2 539
 microstructural development in a rapidly solidified Al-5Mn-2.5Cr alloy, 2 437
 microstructure of rapidly quenched Ti-V-Cr-Er alloys, 2 239
 microstructure of rapidly solidified Al-Cr-Fe powder, 2 61
 new quasicrystalline and amorphous phases in rapidly quenched Al-Ge-(Cr, Mn) and Al-Si-(Cr, Mn) alloys with high metalloid concentrations, 3 449
 structures and properties of rapidly solidified Fe-Ni-Cr-C-based alloys, 2 285
 viscoplastic properties of Fe-Cr-P-C amorphous alloys, 1 493
- Cobalt**
 amorphization of Co-rich magnetic alloys by high energy ball milling, 1 125
 behaviour of electrical resistivity in amorphous $\text{Co}_{100-x}\text{B}_x$ alloys, 3 227
 Co-Cr thin film preparation by facing targets sputtering, 2 53
 comparative performance of Nd-(Fe,Co)-B magnets formed by rapid quenching and by sintering, 3 123
 compositional dependence of magnetostriction of amorphous Co-Fe-B and Co-Ni-B alloys, 3 109
 crystallization kinetics of $\text{Co}_{88-x}\text{Fe}_x\text{B}_{20}$ amorphous alloys, 1 337
 Hall effect in paramagnetic Co-Zr metallic glasses, 3 187
 influence of the induced anisotropy on the magnetic after-effect in amorphous $\text{Co}_{58}\text{Ni}_{10}\text{Fe}_5\text{Si}_{11}\text{B}_{16}$ alloy, 1 519
 investigation of the magnetic stability of cobalt-based as-quenched amorphous alloys, 3 87
 low temperature internal friction peaks and thermoelastic damping in $\text{Ni}_{78}\text{Si}_8\text{B}_{14}$ and CoZr_2 metallic glasses, 1 501
 magnetic properties of amorphous FeCo-SiB alloys annealed in a rotating magnetic field, 3 53
 magnetic properties of Co-rich amorphous alloys for saturable cores, 3 95
 magnetic stability of water-quenched Co-based amorphous alloy, 3 119
 magnetization of amorphous and crystalline Co-Si-B alloys, 3 77
 microstructure studies in $\text{Nd}_2(\text{Fe}_{0.9}\text{Co}_{0.1})_{14}\text{B}$ thin films, 3 153
 oxidation behaviour of some Co-based amorphous alloys, 3 533
 preparation and magnetic properties of Co-Gd amorphous alloy films by the electroplating method, 3 105
 scattering mechanism of resistivity in amorphous $\text{Fe}_{90-x}\text{Co}_x\text{Zr}_{10}$ alloys, 3 215
 soft magnetic properties of crystalline Co-Fe-Si-B alloys prepared by sputtering, 3 57
 solid-state reaction and electrocatalytic activity of rapidly quenched $\text{Zr}_{50}\text{Co}_{30}\text{Ni}_{20}$ alloy, 3 469
 structural investigations of rapidly quenched Nb-O-50at.%Co alloys, 2 373
 X-ray diffraction study of the crystallization characteristics of amorphous Co-B ribbons, 1 329
- Cold rolling**
 formation of amorphous phase by solid state reaction in elemental composites prepared by cold rolling, 1 129
- Compaction**
 explosive compaction of metallic glass powders, 2 461
 newly developed extrusion technique for compacting amorphous alloy powders, 2 449
 production of rapidly solidified Al-Pb-Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, 2 119
- Composites**
 crystallization of amorphous metal matrix composites, 1 259

Composites (continued)

- rapidly quenched composite materials, 1 181
- role of interfaces in the application of rapidly solidified metal ribbons as reinforcements for composites, 2 547

Compositional correlations

- compositional correlations in the crystallization of Fe-transition-metal-B glasses, 1 325

Compositional dependence

- compositional dependence of magnetostriction of amorphous Co-Fe-B and Co-Ni-B alloys, 3 109

Computer modelling

- computer modelling of ribbon formation in the melt spinning of crystalline metals, 2 71

Conductivity

- enhanced strength in high conductivity Cu alloys, 2 543
- quantum corrections to the conductivity in $\text{Mg}_{70}\text{Cu}_{30-x}\text{Au}_x$, $x = 0, 1, 3, 9$, and $\text{Mg}_{70}\text{Zn}_{30-x}\text{Au}_x$, $x = 0, 3$, 3 183

Configurational entropy

- configurational entropy of two-dimensional random Penrose tilings, 3 339

Consolidation

- metastability of amorphous phases and its application to the consolidation of rapidly quenched powders, 1 137

- Consolidation and forming of rapidly solidified alloys see 2 381-460

Containerless solidification

- containerless solidification of alloys in a drop-tube, 2 99

Cooling

- dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, 2 425

Cooling conditions

- dependence of T_c on the cooling conditions for liquid-quenched Al₅ chemical compounds, 3 195
- influence of cooling characteristics on glass formation of metallic systems, 1 203

Copper

- comparison of microstructures and solidification behaviour of melt-spun Cu-Ni ribbons and bulk undercooled Cu-Ni alloys, 2 339
- consolidation of rapidly solidified Cu-Ni powders, 2 411
- crystal nucleation and glass-forming ability of Cu-Zr in a containerless state, 1 147
- crystallization of amorphous Cu-Ni-P alloys, 1 351
- determination of the free energy of equilibrium and metastable phases in the Cu-Zr system, 1 79
- effects of non-equilibrium processing in the development of copper alloys, 2 329
- effects of process parameters on melt-spun Ag-Cu, 2 89
- electrochemical behaviour of Cu-Ti glassy alloys, 3 517
- electron microscopy investigation of the transformation behaviour of $\text{Al}_6\text{Mg}_4\text{Cu}$ quasicrystalline alloy, 3 393
- electronic structure and electron transport in Ca-Mg-Cu metallic glasses, 3 295
- enhanced strength in high conductivity Cu alloys, 2 543
- formation of powdered Hf-Ni, Hf-Cu and Hf-Ru materials by mechanical alloying methods, 1 31
- glass temperatures of variously quenched Pd-Cu-Si glasses, 1 191
- hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, 2 419
- influence of copper additions on the crystallization of amorphous Fe-B-Si alloys, 1 361
- influence of heterogeneous nuclei on the solidification of $\text{Pd}_{77.5}\text{Cu}_6\text{Si}_{16.5}$ glassy alloy, 1 195
- local structure and stability of amorphous Cu-Fe-Zr alloys, 3 285
- low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass, 3 231
- magnetic behaviour in amorphous $\text{Tb}_x\text{Cu}_{1-x}$ alloys ($x = 0.18, 0.22, 0.33, 0.50$ and 0.65), 3 161

- magnetic susceptibility and ^{31}P NMR study of the electronic structure of amorphous and crystalline Ni-Cu-P alloys, 3 301

mechanical properties of rapidly solidified copper alloys:

- dependence on composition and microstructure, 2 479
- microstructural stability of rapidly solidified Cu-B alloys, 2 161

- microstructure characterization and stability of rapidly solidified Ni-Au Rh-Cu alloys, 2 309

- microstructure development in undercooled Al-Al₂Cu alloys, 2 153

- neutron diffraction study of the crystallization of hydrogenated Cu-Ti amorphous alloys, 1 391

- new amorphous Cu-Nb-(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, 1 47

- production of rapidly solidified Al-Pb-Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, 2 119

- properties of as-quenched and hydrogenated Cu-Fe-Ti alloys, 3 543

- proton and deuteron NMR in amorphous TiCuD_x , 1 427

quantum corrections to the conductivity in

- $\text{Mg}_{70}\text{Cu}_{30-x}\text{Au}_x$, $x = 0, 1, 3, 9$, and $\text{Mg}_{70}\text{Zn}_{30-x}\text{Au}_x$, $x = 0, 3$, 3 183

- reduced segregation in rapidly solidified Cu-Ni-Sn alloys, 2 335

- segregation and structural effects of B in rapidly solidified Cu-B alloys, 3 513

- shape memory effects in rapidly quenched Cu-12%Al and Cu-12%Al-1%Si alloys, 2 509

- structure of icosahedral Al-Mg-Cu alloy, 3 423

- X-ray photoelectron spectroscopy on amorphous $\text{Cu}_x\text{Te}_{100-x}$ and $\text{Ni}_x\text{Te}_{100-x}$, 3 277

Corrosion behavior

- corrosion behavior of rapidly solidified Mg-Nd and Mg-Y alloys, 3 507

Corrosion resistance

- improved corrosion resistance of rapidly solidified Fe-Al bronzes, 3 493
- corrosion resistance and passive layer formation in amorphous binary Cr alloys, 3 483

Cores

- magnetic properties of Co-rich amorphous alloys for saturable cores, 3 95

Crack propagation

- fatigue crack propagation in an $\text{Ni}_{78}\text{Si}_{10}\text{B}_{12}$ metallic glass with amorphous and partially crystalline structures, 2 501

Creep

- negative creep and mechanochemical spinodal in amorphous metals, 2 465

Critical field

- the influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M-Zr ($M \equiv \text{Fe, Co or Ni}$), 3 309

Critical temperature

- dependence of T_c on the cooling conditions for liquid-quenched Al₅ chemical compounds, 3 195

Crystal growth

- modelling of crystal growth and solute redistribution during rapid solidification, 2 359

Crystallite orientation

- preferential crystallite orientation in melt spun Nd-Fe-B permanent magnet materials, 3 131

Crystallite size

- crystallite size determinations for melt-spun Fe-Nd-B permanent magnet alloys, 3 147

Crystallization of amorphous alloys

- see 1 233-402

- Crystallization**
 crystallization of the Al-Mn icosahedral phase, 3 389
 crystallization of icosahedral Al-Mn-Si, 3 399
 effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, 3 101
 high pressure induced crystallization of rapidly solidified Al-Fe and Al-Mn quasicrystalline alloys, 3 413
- Crystallization temperature**
 relation between the temperatures of incipient crystallization of the Fe-Si-B amorphous alloys and metal-metalloid bonds, 1 395
 relationship between crystallization temperatures and pre-existing nuclei in amorphous Ni-P alloys, 1 399
- d-band metals**
 local icosahedral packing energetics for d-band metals, 3 349
- Damping**
 comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, 1 453
- Decomposition**
 decomposition of formic acid on $\text{Fe}_{80}\text{B}_{20}$ metallic glasses, 3 547
 evident for chemical decomposition of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$ —investigation by means of small-angle neutron scattering, 1 515
- Defects**
 irradiation-induced defects in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$, 1 173
- Deformation**
 compressive deformation of amorphous $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{20}$, 2 487
 effects of peening on resistance to plastic deformation in a metallic glass, 2 505
 EXAFS study on mechanical deformation of Pd-Si amorphous alloy, 2 553
 surface deformation and bubble growth in amorphous alloys due to noble gas implantations, 2 523
- Density of states**
 measurements of the phonon density of states of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$, 1 231
- Depth profile**
 depth profile of the crystallization of $\text{Fe}_{80}\text{B}_{20}$ metallic glass, 1 369
- Devitrification**
 local value of the Avrami exponent: a new approach to devitrification of glassy metallic ribbons, 1 241
- Differential scanning calorimetry**
 comparative study of the thermal stabilities and crystallization processes of amorphous $\text{Zr}_{0.67}\text{TM}_{0.33-x}\text{M}_x$ alloys with $\text{TM} \equiv \text{Co}$ or Ni , $\text{M} \equiv \text{P}$ or Si and $0.00 \leq x \leq 0.12$ by differential scanning calorimetry and X-ray diffraction techniques, 1 373
 comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, 1 453
 differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, 1 83
 measurements of structural relaxation in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{40}$ by differential scanning calorimetry, 1 533
- Diffusion couples**
 solid state interdiffusion reactions of Ni/Zr diffusion couples, 1 87
- Diffusion mechanisms**
 diffusion mechanisms in amorphous alloys, 1 415
- Diffusivity**
 diffusivity of hydrogen in amorphous $\text{Ni}_{81}\text{P}_{19}$ and $\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8.0}\text{B}_{12.8}$ alloys, 1 437
- Distortion**
 tetragonal distortion and its relaxation in rapidly quenched Li_0 TiAl compounds, 2 269
- Double-roller method**
 development of a rapid solidification process with a double-roller method, 2 25
 Fe-6.5wt.%Si ribbons prepared by the single- and double-roller techniques: a comparative study of ribbon formation and microstructural peculiarities, 2 75
- Drop-tube**
 containerless solidification of alloys in a drop-tube, 2 99
- Ductility**
 evidence for recovery of ductility in an embrittled Fe-B-Si metallic glass, 1 457
 high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni-F-Al system, 2 515
- Elastic constants**
 calculation of elastic constants for an amorphous metal, 2 527
- Electrical properties**
 see 3 165-320
- Electrical properties**
 preparation and electrical properties of aluminium-based ternary and quaternary quasi-crystals, 3 435
- Electrical resistivity**
 behaviour of electrical resistivity in amorphous $\text{Co}_{100-x}\text{B}_x$ alloys, 3 227
 electrical resistivity of Fe-Cr- and Ni-Cr-based amorphous alloys, 3 207
 intermediate temperature range electrical resistivity of some metallic glass, 3 235
 kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, 1 537
 low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass, 3 231
- Electrocatalytic activity**
 solid-state reaction and electrocatalytic activity of rapidly quenched $\text{Zr}_{50}\text{Co}_{30}\text{Ni}_{20}$ alloys, 3 469
- Electrochemical properties**
 behaviour of Fe-Cr-P-C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy-solution interface, 3 529
 electrochemical behaviour of Cu-Ti glassy alloys, 3 517
- Electrochemistry**
 electrochemistry of Cr-base binary metallic glasses, 3 525
- Electron beam processing**
 laser and electron beam processing of electrodes consisting of amorphous Ni—valve metal—platinum group metal surface alloys on valve metal, 3 489
- Electron beam welding**
 structure, properties and fracture of electron beam welds in RS-PM Al-8Fe-2Mo, 2 137
- Electron diffraction**
 quasicrystals studied with convergent beam electron diffraction, 3 335
- Electron microscopy**
 electron-microscopic investigation of the transformation behaviour of $\text{Al}_6\text{Mg}_4\text{Cu}$ quasicrystalline alloy, 3 393
- Electron transport**
 electronic structure and electron transport in Ca-Mg-Cu metallic glasses, 3 295
 electron transport in co-evaporated thin film and melt-spun ribbon $\text{Al}_{1-x}\text{Mn}_x$ alloys, 3 219
 electronic transport properties of glass Fe-Sc alloys, 3 179
 electron transport properties of non-magnetic metallic glasses, 3 165
- Electronic characteristics**
 electronic aspects of formation of metallic glasses, 1 219
- Electronic properties**
 electronic properties and localization effects in some hydrogen-doped 4d-3d metallic glasses, 3 191

Electronic properties (continued)

- electronic properties and resonant states in Al-Mn(-Si) alloys, 3 353
- electronic properties of glassy metallic alloys, 3 273
- Electronic structure
 - electronic structure and electron transport in Ca-Mg-Cu metallic glasses, 3 295
 - electronic structure and local environment of non-transition elements in ternary metallic glasses, 3 269
 - electronic structure of amorphous transition metal alloys, 3 245
 - electronic structure of hydrogenated amorphous Ni-Zr alloys, 3 253
 - electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{1-x}\text{X}_x$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co, Ni or Cu}$) ternary metallic glasses studied by low temperature specific heat measurements, 3 289
 - electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{85}\text{X}_{15}$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co and Cu}$) metallic glasses studied by photoelectron spectroscopy, 3 317
 - electronic structure of quasicrystalline AlMn in comparison with amorphous and crystalline alloys, 3 361
 - electronic structure of quasicrystals, 3 377
 - high resolution solid state nuclear magnetic resonance study of the electronic structure of rapidly quenched alloys, 3 305
 - magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni-Cu-P alloys, 3 301
- Electro-oxidation
 - amorphous alloy catalysts for electro-oxidation of methanol and its derivatives in a sulphuric acid solution, 3 521
- Electroplating
 - preparation and magnetic properties of Co-Gd amorphous alloy films by the electroplating method, 3 105
- Embrittlement
 - absence of thermal embrittlement in some Fe-B and Fe-Si and Fe-Si-B glassy alloys, 2 491
 - embrittlement of Ni-Ti-B glasses during crystallization, 1 279
 - evidence for recovery of ductility in an embrittled Fe-B-Si metallic glass, 1 457
- Erbium
 - changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, 1 223
 - microstructures of rapidly quenched Ti-V-Cr-Er alloys, 2 239
- EXAFS
 - EXAFS study on mechanical deformation for Pd-Si amorphous alloy, 2 553
- Explosive consolidation
 - preparation of bulk amorphous alloys by explosive consolidation and properties of the prepared bulk, 2 457
- Extrusion
 - newly developed extrusion technique for compacting amorphous alloy powders, 2 449
- Fatigue
 - fatigue crack propagation in an $\text{Ni}_{76}\text{Si}_{10}\text{B}_{12}$ metallic glass with amorphous and partially crystalline structures, 2 501
 - tensile and fatigue properties of two high-strength Al alloys prepared by rapid solidification technology, 2 475
- Ferritic steel
 - amorphization of a metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation, 2 291
- Ferromagnets
 - effects of magnetostriction in amorphous ferromagnets, 3 13

- fast dissipative and diffusional relaxation of the magnetic permeability in ferromagnetic metallic glasses, 3 27
- Field ion microscopy
 - investigation of a rapidly solidified Al-Cr alloy using field ion microscopy-atom probe analysis and high resolution electron microscopy, 2 197
- Films
 - internal stress in IBS films, 2 519
- Flow behaviour
 - fluid flow behaviour and solidification studies during ultrasonic gas atomization, 2 43
- Flow casting
 - thermal stability of the icosahedral phase in Al-Mn ($\text{Mn} \equiv 4-14 \text{ at. \%}$) alloys prepared by planar flow casting, 3 385
- Formation and structure of amorphous alloys
 - see 1 137-232
- Formic acid
 - decomposition of formic acid on $\text{Fe}_{80}\text{B}_{20}$ metallic glasses, 3 547
- Forming and consolidation of rapidly solidified alloys
 - see 2 381-460
- Fracture
 - structure, properties and fracture of electron beam welds in RS-PM Al-8Fe-2Mo, 2 137
- Free energy
 - determination of the free energy of equilibrium and metastable phases in Cu-Zr system, 1 79
- Friction factor
 - magnetic energy density and friction factor in magnetic amorphous ribbons, 3 61
- Front velocity
 - effect of solidification front velocity on characteristics of Al-rich Al-Mn alloy solutions extended by rapid solidification, 2 201
- Gadolinium
 - magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys, 3 113
 - preparation and magnetic properties of Co-Gd amorphous alloy films by the electroplating method, 3 105
- Gas atomization
 - technique for evaluating Al alloys for high pressure gas atomization, 2 115
- Gas implantations
 - surface deformation and bubble growth in amorphous alloys due to noble gas implantations, 2 523
- Germanium
 - new quasicrystalline and amorphous phases in rapidly quenched Al-Ge-(Cr, Mn) at Al-Si-(Cr, Mn) alloys with high metalloid concentrations, 3, 449
 - structural relaxation in Pd-Ge metallic glass, 1 523
 - structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: case of superconducting Pb-Bi-Ge, 2 347
- Glass
 - absence of thermal embrittlement in some Fe-B and Fe-Si and Fe-Si-B glassy alloys, 2 491
 - electronic transport properties of glassy Fe-Sc alloys, 3 179
 - embrittlement of Ni-Ti-B glasses during crystallization, 1 279
 - glass-forming conditions during laser surface melting, 1 177
 - glass temperatures of variously quenched Pd-Cu-Si glasses, 1 191
 - influence of heterogeneous nuclei on the solidification of $\text{Pd}_{77.5}\text{Cu}_6\text{Si}_{16.5}$ glassy alloy, 1 195
 - ion milling of liquid-quenched glasses, 2 429
 - magnetic and thermal properties of $(\text{Nd}_x\text{Fe}_{1-x})_{82.5}\text{B}_{17.5}$ glasses, 3 157
 - solid-liquid interfacial energy of Pd-16.5at. %Si glasses, 1 199

- Glass formation**
influence of cooling characteristics on glass formation of metallic systems, 1 203
- Glass-forming alloys**
comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, 1 453
crystal nucleation and glass-forming ability of Cu-Zr in a containerless state, 1 147
crystal nucleation in glass-forming alloys, 1 285
- Glass transition**
crystal-to-glass transformation in metallic materials, 1 1
glass transition, crystallization and melting Au-Pb-Sb alloys, 1 301
liquid-glass transitions of binary alloys, 1 215
measurement and interpretation of glass transition temperature T_g in a number of metallic systems, 1 291
- Gold**
glass transition, crystallization and melting in Au-Pb-Sb alloys, 1 301
microstructure characterization and stability of rapidly solidified Ni-Au and Rh-Cu alloys, 2 309
quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3, 183$
- Grinding**
grinding peculiarities of rapidly quenched powders, 2 453
- Growth**
growth of quasicrystals, 3 443
- Hafnium**
formation of powdered Hf-Ni, Hf-Cu and Hf-Pu materials by mechanical alloying methods, 1 31
- Hall effect**
Hall effect in paramagnetic Co-Zr metallic glasses, 3 187
- Heating conditions**
difference in crystallization of Fe-Ni-based metallic glasses caused by changes in heating conditions, 1 347
- High resolution electron microscopy**
an investigation of a rapidly solidified Al-Cr alloy using field ion microscopy-atom probe analysis and high resolution electron microscopy, 2 197
- High speed steels**
modifications to high speed steels by rapid solidification, 2 433
- Hot extrusion**
hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, 2 419
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, 2 531
- Hydrides**
large-angle neutron scattering studies of amorphous Fe_xTi_{1-x} alloys and hydrides, 1 157
- Hydrogen**
amorphization of RFe_2 Laves phases by H absorption, 1 35
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.6}B_{12.8}$ alloys, 1 437
electronic properties and localization effects in some H-doped 4d-3d metallic glasses, 3 191
electronic structure of hydrogenated amorphous Ni-Zr alloys, 3 253
host and H diffusion in an Ni-Zr metallic glass, 1 419
H in amorphous and nanocrystalline metals, 3 457
H in some Pd-Si-based amorphous alloys and in the crystallized states, 3 539
influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{13}Fe_{77}B_8$, 3 143
neutron diffraction study of the crystallization of hydrogenated Cu-Ti amorphous alloys, 1 391
nuclear magnetic resonance studies of diffusion of H in amorphous alloys of the type Ni-Zr-P, 1 431
- properties of as-quenched and hydrogenated Cu-Fe-Ti alloys, 3 543
simulation of the influence of hydrogen on the structural properties of amorphous iron, 3 551
thermodynamics of H in amorphous alloys: lattice-gas model, 3 463
- Hydrostatic pressure**
influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M-Zr ($M \equiv Fe, Co$ or Ni), 3 309
- Icosahedral phase**
crystallization of icosahedral Al-Mn-Si, 3 399
crystallization of the Al-Mn icosahedral phase, 3 389
pair distribution function in icosahedral Al-Mn-Si alloy, 3 427
physical properties of icosahedral and glassy Pd-U-Si alloys, 3 357
influence of the quenching conditions on the formation of the icosahedral phase in Al-Mn alloys, 3 453
structure of icosahedral Al-Mg-Cu alloy, 3 423
thermal stability of the icosahedral phase in Al-Mn ($Mn \equiv 4-15$ at.%) alloys prepared by planar flow casting, 3 385
- Interfaces**
role of interfaces in the application of rapidly solidified metal ribbons as reinforcements of composites, 2 547
- Interdiffusion**
interdiffusion in amorphous metallic artificial multilayers, 1 403
- Interdiffusion reactions**
solid state interdiffusion reactions of Ni/Zr diffusion couples, 1 87
- Interfacial energy**
solid-liquid interfacial energy of Pd-16.5at.%Si glasses, 1 199
- Intermetallics**
influence of Nb addition on structure and properties of rapidly solidified intermetallics, 2 257
- Internal friction**
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_{18}B_{14}$ and $CoZr_2$ metallic glasses, 1 501
- Internal stress**
internal stress in IBS films, 2 519
- Ion beam sputtering**
synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, 3 23
- Ion milling**
dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, 2 425
ion milling of liquid-quenched glasses, 2 429
- IR measurements**
IR measurements of the melt puddle in planar flow casting, 2 29
- IR properties**
preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films, 2 79
- IR thermography**
an infrared thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting, 2 95
- Iron**
amorphization of RFe_2 Laves phases by H absorption, 1 35
behaviour of Fe-Cr-P-C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy-solution interface, 3 529
changes in short-range order resulting from H absorption of Fe_2Ce and Fe_2Er metallic glasses, 1 223
characteristics of $Ni_3Al + Fe$ powders produced by spark erosion quenching, 2 33

Iron (continued)

- comparative performance of Nd-(Fe,Co)-B magnets formed by rapid quenching and by sintering, 3 123
 - compositional correlations in the crystallization of Fe-transition-metal-B glasses, 1 325
 - compositional dependence of magnetostriction of amorphous Co-Fe-B and Co-Ni-B alloys, 3 109
 - crystallization behavior of amorphous Fe-Mo alloys, 1 265
 - crystallization kinetics of $\text{Co}_{88-x}\text{Fe}_x\text{B}_{20}$ amorphous alloys, 1 337
 - crystallization of some Fe-based metallic glasses, 1 355
 - decomposition of formic acid on $\text{Fe}_{80}\text{B}_{20}$ metallic glass, 3 547
 - depth profile of the crystallization of $\text{Fe}_{80}\text{B}_{20}$ metallic glass, 1 369
 - difference in crystallization of Fe-Ni-based metallic glasses caused by changes in heating conditions, 1 347
 - diffusivity of H in amorphous $\text{Ni}_{41}\text{P}_{19}$ and $\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8.0}\text{B}_{12.8}$ alloys, 1 437
 - effect of rapid solidification on the order-disorder transformation in Fe-based alloys, 2 281
 - effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, 3 101
 - electronic transport properties of glassy Fe-Sc alloys, 3 179
 - electrical resistivity of Fe-Cr and Ni-Cr-based amorphous alloys, 3 207
 - Fe-6.5wt.%Si ribbons prepared by the single- and double-roller techniques: comparative study of ribbon formation, 2 75
 - formation and properties of mechanically alloyed amorphous Fe-Zr, 1 39
 - high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni-Fe-Al system, 2 515
 - high pressure induced crystallization of rapidly solidified Al-Fe and Al-Mn quasicrystalline alloys, 3 413
 - improved corrosion resistance of rapidly solidified Fe-Al bronzes, 3 493
 - influence of the induced anisotropy on the magnetic after-effect in amorphous $\text{Co}_{58}\text{Ni}_{10}\text{Fe}_5\text{Si}_1\text{B}_{16}$ alloy, 1 519
 - influence of P and S additions on the mechanical surface and thermal properties of $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$, 2 495
 - investigation of the microstructure of an $\text{Fe}_{91}\text{Zr}_9$ catalyst prepared from the amorphous alloy, 3 501
 - kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, 1 537
 - large-angle neutron scattering studies of amorphous $\text{Fe}_x\text{Ti}_{1-x}$ alloys and hydrides, 1 157
 - local evidence for re-entrant magnetic behaviour in amorphous $\text{Fe}_{90}\text{Zr}_{10}$ alloys, 3 65
 - local structure and stability of amorphous Cu-Fe-Zr alloys, 3 285
 - magnetic hardening in melt-spun Fe-R-B alloys, 3 137
 - magnetic ordering behaviour of rare-earth-substituted Fe-Zr amorphous alloys, 3 69
 - magnetic properties of amorphous FeCo-SiB alloys annealed in a rotating magnetic field, 3 53
 - magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys, 3 113
 - mechanical and magnetic properties of amorphous FeCrPc ribbons and wires, 2 539
 - microstructural stability of rapidly quenched Al-Fe alloys: influence of Zr, 2 191
 - microstructure and soft magnetic properties of rapidly solidified Fe-Al alloys, 3 91
 - microstructure of rapidly solidified Al-Cr-Fe powder, 2 61
 - microstructure studies in $\text{Nd}_2(\text{Fe}_{0.9}\text{Co}_{0.1})_4\text{B}$ thin films, 3 153
 - microstructures of rapidly solidified and heat-treated Al-8Fe-2Mo-Si alloys, 2 131
 - neutron and X-ray small-angle scattering with Fe-based metallic glasses, 1 227
 - phase separation in amorphous Zr-Fe alloys determined by anomalous X-ray scattering and magnetization measurements, 1 163
 - production and properties of melt-spun Fe-6.5wt.%Si ribbons, 3 73
 - properties of as-quenched and hydrogenated Cu-Fe-Ti alloys, 3 543
 - rapidly solidified Fe-Ni-Al-C alloys: metastable phase formation, 2 277
 - rare-earth-Fe-B permanent magnets by rapid solidification processing, 3 11
 - scattering mechanisms and transport properties of Fe-transition metal-B amorphous alloys, 3 223
 - scattering mechanism of resistivity in amorphous $\text{Fe}_{90-x}\text{Co}_x\text{Zr}_{10}$ alloys, 3 215
 - soft magnetic properties of crystalline Co-Fe-Si-B alloys prepared by sputtering, 3 57
 - solidification of an "amorphous" phase in rapidly solidified Al-Fe-Si alloys, 2 213
 - solidification structures of planar flow cast Fe-(20-47)at.%Al ribbons, 2 295
 - stability of quasicrystalline phases in Al-Fe-V alloys, 3 407
 - structural changes of amorphous $\text{Fe}_{1-x}\text{C}_x$ alloys at $x \approx 0.32$, 3 31
 - structural model for commensurate and non-periodic carbides formed by crystallization of amorphous Fe-C alloys, 1 273
 - structure analyses of amorphous melt-spun Fe-Zr-(B,Si) alloys and mechanically alloyed Fe-Zr powders, 1 59
 - structure, properties and fracture of electron beam welds in RS-PM Al-8Fe-Mo-Si alloys, 2 137
 - structures and properties of rapidly solidified Fe-Ni-Cr-C-based alloys, 2 285
 - study of thermal relaxation and crystallization of an $\text{Fe}_{81}\text{B}_{13.5}\text{Si}_{3.5}\text{C}_2$ amorphous ribbon, 1 321
 - syntheses and magnetic properties of Fe nitride thin films by double ion beam sputtering, 3 23
 - viscoplastic properties of Fe-Cr-P-C amorphous alloys, 1 493
 - warm consolidation of spray quenched amorphous Ni-Fe-based alloy powders, 2 399
 - X-ray absorption near edge structure (XANES)—criterion for modelling the three-dimensional structure of amorphous $\text{Fe}_{80}\text{B}_{20}$, 1 169
- Fe-Si-B**
- evidence for recovery of ductility in an embrittled Fe-B-Si metallic glass, 1 457
 - influence of Cu additions on the crystallization of amorphous Fe-B-Si alloys, 1 361
 - influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe-B-Si alloys, 3 39
 - magnetic phase transition in amorphous Fe-Ni-B and Fe-B-Si alloys, 3 43
 - Mössbauer studies of amorphous FeB and FeBSi alloys, 3 47
 - specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe-B-Si alloy, 3 35
 - viscous flow in amorphous $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ alloy, 1 479
- Fe-Cr-Si-B**
- temperature dependence of longitudinal magnetoresistance in amorphous Fe-Cr-Si-B alloys, 3 211
- Fe-Ni-B**
- magnetic phase transition in amorphous Fe-Ni-B and Fe-B-Si alloys, 3 43
 - measurement of structural relaxation in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$ by DSC, 1 533
 - new concept of effective temperature to correlate isothermal and anisothermal continuous temperature-time-transformation curves—application to crystallization of Fe-Ni-B amorphous alloys, 1 297

- resistivity changes during structural relaxation of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$, 1 505
- Fe-Ni-P**
evidence for chemical decomposition of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$ —investigation by means of small-angle neutron scattering, 1 515
irradiation-induced defects in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$, 1 173
- Irradiation**
ion irradiation during a solid state amorphization reaction, 1 97
structural relaxation of e^- -irradiated amorphous alloys by tunnelling and thermally activated processes, 1 473
- Kinetic analysis**
kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, 1 537
- Laser cutting**
stress-assisted laser cutting of amorphous alloys, 2 403
- Laser processing**
laser and electron beam processing of electrodes consisting of amorphous Ni—valve metal—platinum group metal surface alloys on valve metal, 3 489
- Laser quenching**
formation of metastable Nb—Si phases by picosecond and nanosecond pulsed laser quenching, 2 325
metastable phases formed by nanosecond laser quenching of metals and binary alloys, 2 105
- Lattice-gas model**
thermodynamics of H in amorphous alloys: lattice-gas model, 3 463
- Laves phases**
amorphization of RFe_2 Laves phases by hydrogen absorption, 1 35
- Lead**
glass transition, crystallization and melting in Au—Pb—Sb alloys, 1 301
kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, 1 537
production of rapidly quenched Al—Pb—Cu alloy liquid stirring ultrasonic gas atomization and liquid dynamic compaction, 2 119
structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: case of superconducting Pb—Bi—Ge, 2 347
- Liquid alloys**
comparison of amorphous and liquid alloys by photoelectron spectroscopy, 3 257
- Liquid-glass transition**
effects of the softness of the interionic pair potential on the liquid-glass transition, 1 187
- Liquid phase separation**
the effect of liquid phase separation on the microstructure of rapidly solidified Ti—rare earth alloys, 2 243
- Liquid-quenching**
dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, 2 425
dependence of T_c on the cooling conditions for liquid-quenched Al₁₅ chemical compounds, 3 195
ion milling of liquid-quenched glasses, 2 429
- Localization effects**
electronic properties and localization effects in some H-doped 4d—3d metallic glasses, 3 191
- Long-range ordering**
long-range ordering in rapidly quenched Ti—Al compounds, 2 169
- Magnesium**
corrosion behavior of rapidly solidified Mg—Nd and Mg—Y alloys, 3 507
electron microscopy investigation of the transformation behaviour of $\text{Al}_x\text{Mg}_{1-x}\text{Cu}$ quasicrystalline alloy, 3 393
electronic structure and electron transport in Ca—Mg—Cu metallic glasses, 3 295
quantum corrections to the conductivity in $\text{Mg}_{70}\text{Cu}_{30-x}\text{Au}_x$, $x = 0, 1, 3, 9$, and $\text{Mg}_{70}\text{Zn}_{30-x}\text{Au}_x$, $x = 0, 3$, 3 183
structure and properties of rapidly solidified Mg—Si alloys, 2 313
structure of icosahedral Al—Mg—Cu alloy, 3 423
- Magnetic after-effect**
influence of the induced anisotropy on the magnetic after-effect in amorphous $\text{Co}_{58}\text{Ni}_{10}\text{Fe}_2\text{Si}_{11}\text{B}_{16}$ alloy, 1 519
new method for measuring magnetic after-effect, 1 529
- Magnetic alloys**
amorphization of Co-rich magnetic alloys by high energy ball milling, 1 125
relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys, 1 497
- Magnetic anisotropy**
magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $\text{Fe}_{4.5}\text{Co}_{66}\text{Ni}_{3.5}\text{Nb}_2\text{Cr}_7\text{B}_{14}\text{Si}_{19}$, 3 81
- Magnetic behaviour**
local evidence for re-entrant magnetic behaviour in amorphous $\text{Fe}_{90}\text{Zr}_{10}$ alloys, 3 65
magnetic behaviour in amorphous $\text{Tb}_x\text{Cu}_{1-x}$ alloys ($x = 0.18, 0.22, 0.33, 0.50$ and 0.65), 3 161
- Magnetic domains**
structure of magnetic domains surrounding metallic glass shear bands, 2 483
- Magnetic energy density**
magnetic energy density and friction factor in magnetic amorphous ribbons, 3 61
- Magnetic hardening**
magnetic hardening in melt-spun Fe—R—B alloys, 3 137
- Magnetic materials**
impact of amorphous metals on the field of soft magnetic materials, 3 1
magnetic energy density and friction factor in magnetic amorphous ribbons, 3 61
specific heat behaviour on soft magnetic materials thick amorphous ribbons of an Fe—B—Si alloy, 3 35
- Magnetic ordering**
magnetic ordering behavior of rare-earth-substituted Fe—Zr amorphous alloys, 3 69
- Magnetic phase transition**
magnetic phase transition in amorphous Fe—Ni—B and Fe—B—Si alloys, 3 43
- Magnetic properties**
effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, 3 101
hard magnetic properties of Nd—Fe—B formed by mechanical alloying and solid state reaction, 3 127
influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe—B—Si alloys, 3 39
low temperature calorimetric and magnetic properties of Al—Mn and Al—Mn—Si quasicrystals, 3 439
magnetic properties of amorphous FeCo—SiB alloys annealed in a rotating magnetic field, 3 53
magnetic properties of Co-rich amorphous alloys for saturable cores, 3 95
mechanical and magnetic properties of amorphous FeCrPc ribbons and wires, 2 539
microstructure and soft magnetic properties of rapidly solidified Fe—Al alloys, 3 91
soft magnetic properties of microcrystalline Co—Fe—Si—B alloys prepared by sputtering, 3 57

Magnetic properties (continued)

synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, 3 23

Magnetic stability

investigation of the magnetic stability of cobalt-based as-quenched amorphous alloys, 3 87
magnetic stability of water-quenched Co-based amorphous alloy, 3 119

Magnetic susceptibility

magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni-Cu-P alloys, 3 301

Magnetism

see 3 1-160

Magnetization

magnetization of amorphous and crystalline Co-Si-B alloys, 3 77
phase separation in amorphous Zr-Fe alloys determined by anomalous X-ray scattering and magnetization measurements, 1 163

Magnetostriction

compositional dependence of magnetostriction of amorphous Co-Fe-B and Co-Ni-B alloys, 3 109
effects of magnetostriction in amorphous ferromagnets, 3 13
magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $\text{Fe}_{4.5}\text{Co}_{66}\text{Ni}_{13}\text{Nb}_2\text{Cr}_1\text{B}_{14}\text{Si}_9$, 3 81
relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys, 1 497
temperature dependence of longitudinal magnetoresistance in amorphous Fe-Cr-Si-B alloys, 3 211

Magnets

comparative performance of Nd-(Fe, Co)-B magnets formed by rapid quenching and by sintering, 3 123
rare-earth-Fe-B permanent magnets by rapid solidification processing, 3 11

Manganese

effect of solidification front velocity on the characteristics of Al-rich Al-Mn alloy solutions extended by rapid solidification, 2 201
microstructural development in a rapidly solidified Al-5Mn-2.5Cr alloy, 2 437
new quasicrystalline and amorphous phases in rapidly quenched Al-Ge-(Cr, Mn) and Al-Si-(Cr, Mn) alloys with high metalloid concentrations, 3 449

Many-electron effects

many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses, 3 261

Mechanical alloying

comparison between the thermal properties of Ni-Zr amorphous alloys obtained by mechanical alloying and melt-spinning, 1 317
formation and properties of mechanically alloyed amorphous Fe-Zr, 1 39
formation of amorphous metals by mechanical alloying, 1 15
formation of amorphous Ni-Zr powders by mechanical alloying, 1 25
formation of powdered Hf-Ni, Hf-Cu and Hf-Ru materials by mechanical alloying methods, 1 31
hard magnetic properties of Nd-Fe-B formed by mechanical alloying and solid state reaction, 3 127
mechanically alloyed amorphous metallic powders with second phase particles, 1 53
new amorphous Cu-Nb-(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, 1 47
structure analyses of amorphous melt-spun Fe-Zr-(B, Si) alloys and mechanically alloyed Fe-Zr powders, 1 59
study of the formation of the amorphous phase in metallic systems by mechanical alloying, 1 115

thermal properties of mechanically alloyed $\text{Ni}_{50}\text{Ti}_{50}$ powders, 1 121

Mechanical alloying

X-ray diffraction study of the amorphization process in mechanical alloying of the Ni-Ti system, 1 43

Mechanical properties

see 2 465-556
hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, 2 419
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, 2 531

Mechanochemical spinodal

negative creep and mechanochemical spinodal in amorphous metals, 2 465

Melting

glass transition, crystallization and melting in Au-Pb-Sb alloys, 1 301

Melt spinning

comparison between the thermal properties of Ni-Zr amorphous alloys obtained by mechanical alloying and melt-spinning, 1 317
comparison of microstructures and solidification behaviour of melt-spun Cu-Ni ribbons and bulk undercooled Cu-Ni alloys, 2 339
computer modelling of ribbon formation in the melt spinning of crystalline metals, 2 71
crystallite size determinations for melt-spun Fe-Nd-B permanent magnet alloys, 3 147
electron transport in co-evaporated thin film and melt-spun ribbon $\text{Al}_{1-x}\text{Mn}_x$ alloys, 3 219
influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $\text{Nd}_{15}\text{Fe}_{77}\text{B}_8$, 3 143
magnetic hardening in melt-spun Fe-R-B alloys, 3 137
preferential crystallite orientation in melt spun Nd-Fe-B permanent magnet materials, 3 131
production and properties of melt-spun Fe-6.5wt.%Si ribbons, 3 73
structure analyses of amorphous melt-spun Fe-Zr-(B, Si) alloys and mechanically alloyed Fe-Zr powders, 1 59

Metallic glasses

changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, 1 223
comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, 1 453
crystallization of Ni-B metallic glasses with high boron contents, 1 343
crystallization of some Fe-based metallic glasses, 1 355
decomposition of formic acid on $\text{Fe}_{80}\text{B}_{20}$ metallic glasses, 3 547
depth profile of the crystallization of $\text{Fe}_{80}\text{B}_{20}$ metallic glass, 1 369
difference in crystallization of Fe-Ni-based metallic glasses caused by changes in heating conditions, 1 347
effect of picosecond laser treatment on the stability, kinetics and the mode of crystallization of metallic glassy ribbons, 1 253
effects of peening on resistance to plastic deformation in a metallic glass, 2 505
effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, 3 101
electrochemistry of Cr-base binary metallic glasses, 3 525
electronic aspects of formation of metallic glasses, 1 219
electronic properties and localization effects in some hydrogen-doped 4d-3d metallic glasses, 3 191
electronic properties of glassy metallic alloys, 3 273
electronic structure and electron transport in Ca-Mg-Cu metallic glasses, 3 295

- electronic structure and local environment of non-transition elements in ternary metallic glasses, 3 269
- electronic structure of $(\text{Ni}_{13}\text{Zr}_{67})_{85}\text{X}_{15}$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co and Cu}$) metallic glasses studied by photoelectron spectroscopy, 3 317
- electronic structure of $(\text{Ni}_{13}\text{Zr}_{67})_{1-x}\text{X}_x$ ($\text{X} \equiv \text{Ti, V, Cr, Fe, Co, Ni or Cu}$) ternary metallic glasses studied by low temperature specific heat measurements, 3 289
- electron transport properties of non-magnetic metallic glasses, 3 165
- evidence for recovery of ductility in an embrittled Fe-B-Si metallic glass, 1 457
- explosive compaction of metallic glass powders, 2 461
- fatigue crack propagation in an $\text{Ni}_{78}\text{Si}_{10}\text{B}_{12}$ metallic glass with amorphous and partially crystalline structures, 2 501
- Hall effect in paramagnetic Co-Zr metallic glasses, 3 187
- host and hydrogen diffusion in an Ni-Zr metallic glass, 1 419
- influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass, 1 509
- intermediate temperature range electrical resistivity of some metallic glasses, 3 235
- local value of the avrami exponent: a new approach to devitrification of glassy metallic ribbons, 1 241
- low temperature internal friction peaks and thermoelastic damping in $\text{Ni}_{78}\text{Si}_8\text{B}_{14}$ and CoZr_2 metallic glasses, 1 501
- low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass, 3 231
- magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $\text{Fe}_{4.5}\text{Co}_{66}\text{Ni}_{13.5}\text{Nb}_2\text{Cr}_1\text{B}_{14}\text{Si}_{19}$, 3 81
- neutron and X-ray small-angle scattering with Fe-based metallic glasses, 1 227
- photoelectron spectroscopy of metallic glasses: bulk, interface and surface properties, 3 239
- photoemission studies on metallic glasses using synchrotron radiation, 3 265
- reversible structural relaxation in metallic glasses, 1 461
- structure of magnetic domains surrounding metallic glass shear bands, 2 483
- surface crystallization of metallic glasses, 1 233
- topological ordering in model metallic glasses, 1 441
- transient nucleation in Zr-based metallic glasses, 1 313
- viscous flow behaviour of the metallic glass $\text{Ni}_{30}\text{Zr}_{70}$ under continuous heating, 1 487
- Metalloids**
- alloying effects on the processing and properties of melt spun Ni-metalloid ribbons, 1 207
- amorphization of a metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation, 2 291
- preparation of refractory transition metal-metalloid amorphous alloys and their thermal stability, 1 269
- Metal-metalloid bonds**
- relation between the temperatures of incipient crystallization of the Fe-Si-B amorphous alloys and metal-metalloid bonds, 1 395
- Metals**
- joining mechanism of ceramics to metals using an amorphous Ti-based filler metal, 2 407
- spray deposition of metals: A review, 2 381
- Metastability**
- metastability of amorphous phases and its application to the consolidation of rapidly quenched powders, 1 137
- Metastable phases**
- formation of metastable Nb-Si phases by picosecond and nanosecond pulsed laser quenching, 2 325
- metastable phases formed by nanosecond laser quenching of metals and binary alloys, 2 105
- rapidly solidified Fe-Ni-Al-C alloys: metastable phase formation, 2 277
- Metastable structures**
- formation of metastable structures and amorphous phases in Pu-based systems using the triode sputtering technique, 2 57
- Microstructural stability**
- microstructural stability of rapidly quenched Al-Fe alloys: influence of Zr, 2 191
- Microstructure**
- Fe-6.5wt.%Si ribbons prepared by the single- and double-roller techniques: comparative study of ribbon formation and microstructural peculiarities, 2 75
- investigation of the microstructure of an $\text{Fe}_{91}\text{Zr}_9$ catalyst prepared from the amorphous alloy, 3 501
- microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, 2 531
- microstructure and soft magnetic properties of rapidly solidified Fe-Al alloys, 3 91
- microstructure of rapidly solidified Al-Cr-Fe powder, 2 61
- microstructure studies in $\text{Nd}_2(\text{Fe}_{0.9}\text{Co}_{0.1})_{14}\text{B}$ thin films, 3 153
- Microstructure of rapidly solidified alloys**
- see 2 122-378
- Milling**
- amorphous transition metal-Zr alloys prepared by milling, 1 133
- Modelling**
- modelling of crystal growth and solute redistribution during rapid solidification, 2 359
- Molybdenum**
- age hardening response in rapidly quenched Mo alloys, 2 363
- annealing behaviour of rapid solidification processed Al-Mo alloys, 2 185
- crystallization behavior of amorphous Fe-Mo alloys, 1 265
- microstructure of rapidly solidified and heat-treated Al-8Fe-2Mo-Si alloys, 2 131
- structure properties and fracture of electron beam welds in RS-PM Al-8Fe-Mo-Si alloys, 2 131
- Mössbauer studies**
- Mössbauer studies of amorphous FeB and FeBSi alloys, 3 47
- Multilayers**
- interdiffusion in amorphous metallic artificial multilayers, 1 403
- solid state amorphization in Ni/Ti multilayers, 1 101
- solid state reaction in multilayers studied by X-ray absorption spectroscopy, 1 109
- Multiplet splittings**
- many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses, 3 261
- Nanocrystalline metals**
- H in amorphous and nanocrystalline metals, 3 457
- Neodymium**
- comparative performance of Nd-(Fe, Co)-B magnets formed by rapid quenching and by sintering, 3 123
- corrosion behaviour of rapidly solidified Mg-Nd and Mg-Y alloys, 3 507
- microstructure studies in $\text{Nd}_2(\text{Fe}_{0.9}\text{Co}_{0.1})_{14}\text{B}$ thin films, 3 153
- Nd-Fe-B**
- crystallite size determinations for melt-spun Fe-Nd-B permanent magnet alloys, 3 147
- hard magnetic properties of Nd-Fe-B formed by mechanical alloying and solid state reaction, 3 127
- influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $\text{Nd}_{13}\text{Fe}_{77}\text{B}_8$, 3 143

Nd-Fe-B (continued)

- magnetic and thermal properties of $(\text{Nd}_x\text{Fe}_{1-x})_{82.5}\text{B}_{17.5}$ glasses, 3 157
- preferential crystallite orientation in melt spun Nd-Fe-B permanent magnet materials, 3 131

Neutron diffraction

- neutron diffraction study of the crystallization of hydrogenated Cu-Ti amorphous alloys, 1 391
- evidence for chemical decomposition of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$ —investigation by means of small-angle neutron scattering, 1 515
- large-angle neutron scattering studies of amorphous $\text{Fe}_x\text{Ti}_{1-x}$ alloys and hydrides, 1 157
- neutron and X-ray small-angle scattering with Fe-based metallic glasses, 1 227

Neutron studies

- structure of quasicrystalline Al-Mn-Ru: X-ray and neutron studies, 3 345

Nickel

- alloying effects on the processing and properties of melt spun Ni-metalloid ribbons, 1 207
- anelastic relaxation in amorphous $\text{Pd}_{39.5}\text{Ni}_{39.5}\text{P}_{21}$, 1 541
- characteristics of $\text{Ni}_3\text{Al} + \text{Fe}$ powders produced by spark erosion quenching, 2 33
- characterization and kinetics of the crystallization of Al-Ni-Si amorphous alloys, 1 387
- comparison between the thermal properties of Ni-Zr amorphous alloys obtained by mechanical alloying and melt spinning, 1 317
- comparison of microstructures and solidification behaviour of melt-spun Cu-Ni ribbons and bulk undercooled Cu-Ni alloys, 2 339
- compressive deformation of amorphous $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{20}$, 2 487
- consolidation of rapidly solidified Cu-Ni powders, 2 411
- crystallization and nucleation mechanisms in well-prepared Ni-Si-B glass, 1 365
- crystallization of amorphous Cu-Ni-P alloys, 1 351
- crystallization of amorphous NiZr_2 , 1 307
- crystallization of Ni-B metallic glasses with high boron contents, 1 343
- crystallization process of $\text{Ni}_{78}\text{Si}_8\text{B}_{14}$ amorphous alloys, 1 333
- differences in crystallization of Fe-Ni-based metallic glasses caused by changes in heating conditions, 1 347
- differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, 1 83
- diffusivity of H in amorphous $\text{Ni}_{81}\text{P}_{19}$ and $\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8.0}\text{B}_{12.8}$ alloys, 1 437
- effects of ultrahigh pressure on the crystallization temperature of $\text{Ni}_{80}\text{P}_{20}$ amorphous alloys, 1 247
- electrical resistivity of Fe-Cr- and Ni-Cr-based amorphous alloys, 3 207
- electronic structure of hydrogenated amorphous Ni-Zr alloys, 3 253
- electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{85}\text{X}_{15}$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co and Cu}$) metallic glasses studied by photoelectron spectroscopy, 3 317
- electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{1-x}\text{X}_x$ ($\text{X} \equiv \text{Ti, V, Cr, Mn, Fe, Co, Ni, or Cu}$) ternary metallic glasses studied by low temperature metallic glasses studied by low temperature specific heat measurements, 3 289
- embrittlement of Ni-Ti-B glasses during crystallization, 1 279
- evaluation of Al and Ni alloy materials produced by spray deposition, 2 227
- fatigue crack propagation in an $\text{Ni}_{78}\text{Si}_{10}\text{B}_{12}$ metallic glass with amorphous and partially crystalline structures, 2 501
- formation of amorphous Ni-Zr powders by mechanical alloying, 1 25
- formation of powdered Hf-Ni, Hf-Cu and Hf-Ru materials by mechanical alloying methods, 1 31

high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni-Fe-Al system, 2 515

host and H diffusion in Ni-Zr metallic glass, 1 419

influence of the induced anisotropy on the magnetic after-effect in amorphous $\text{Co}_{38}\text{Ni}_{10}\text{Fe}_5\text{Si}_{11}\text{B}_{16}$ alloy, 1 519

kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, 1 537

laser and electron beam processing of electrodes consisting of amorphous Ni-value metal-platinum groups metal surface alloys on value metal, 3 489

low temperature internal friction peaks and thermoelastic damping in $\text{Ni}_{78}\text{Si}_8\text{B}_{14}$ and CoZr_2 metallic glasses, 1 501

magnetic susceptibility and ^{31}P NMR study of the electronic structure of amorphous and crystalline Ni-Cu-P alloys, 3 301

measurements of the phonon density of states of amorphous $\text{Ni}_{95}\text{Tb}_{0.05}$, 1 231

microstructure characterization and stability of rapidly solidified Ni-Au and Rh-Cu alloys, 2 309

NMR studies of diffusion of H in amorphous alloys of the type Ni-Zr-P, 1 431

nucleation in bulk undercooled nickel-base alloys, 2 85

oxidation behaviour of amorphous and polycrystalline Zr-Ni alloys, 3 497

properties of equiatomic TiNi alloy produced by rapid solidification, 2 433

rapid solidification and ordering of B2 and L2₁ phases in the NiAl-NiTi system, 2 273

rapidly solidified Fe-Ni-Al-C alloys: metastable phase formation, 2 277

reduced segregation in rapidly solidified Cu-Ni-Sn alloys, 2 335

relationship between crystallization temperature and pre-existing nuclei in amorphous Ni-P alloys, 1 399

solid state amorphization in Ni/Ti multilayers, 1 101

solid state interdiffusion reactions on Ni/Zr diffusion couples, 1 87

solid state reaction and electrocatalytic activity of rapidly quenched $\text{Zr}_{50}\text{Co}_{30}\text{Ni}_{20}$ alloy, 3 469

spectroscopic ellipsometry of amorphous $\text{Ni}_{95}\text{Tb}_{0.05}$ and crystalline Ni, 3 281

structures and properties of rapidly solidified

Fe-Ni-Cr-C-based alloys, 2 285

thermal properties of mechanically alloyed $\text{Ni}_{50}\text{Ti}_{50}$ powders, 1 121

viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{19}\text{Si}_1$, 1 449

viscous flow behaviour of the metallic glass $\text{Ni}_{30}\text{Zr}_{70}$ under continuous heating, 1 487

warm consolidation of spray-quenched amorphous

Ni-Fe-based alloy powders 2 399

X-ray diffraction study of the amorphization process in mechanical alloying of the Ni-Ti system, 1 43

X-ray photoelectron spectroscopy on amorphous

$\text{Cu}_x\text{Te}_{100-x}$ and $\text{Ni}_x\text{Te}_{100-x}$, 3 277

Niobium

close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-Nb($\text{Rh}_{0.60}\text{Pd}_{0.40}$), 2 157

formation of metastable Nb-Si phases by picosecond and nanosecond pulsed laser quenching, 2 325

influence of Nb addition on structure and properties of rapidly solidified intermetallics, 2 257

microstructure of $\text{Ti}_3\text{Al} + \text{Nb}$ alloys produced via rapid solidification processing, 2 395

new amorphous Cu-Nb-(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, 1 47

structural investigations of rapidly quenched

Nb-O-50at.%Co alloys, 2 373

superconductivity in crystalline and amorphous Nb-Zr thin films, 3 201

Nitrogen

- microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion, 2 531
- synthesis and magnetic properties of Fe nitride thin films by double ion beam sputtering, 3 23

Non-equilibrium alloys

- non-equilibrium Ag-TM alloys produced by vapour quenching (TM \equiv Cr, Mn, Fe and Co), 2 343

Non-equilibrium phenomena

- non-equilibrium interface kinetics during rapid solidification: theory and experiment, 2 369

Non-equilibrium processing

- effects of non-equilibrium processing in the development of copper alloys, 2 329

Nuclear magnetic resonance

- high resolution solid nuclear magnetic resonance study of the electronic structure of rapidly quenched alloys, 3 305
- magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni-Cu-P alloys, 3 301
- nuclear magnetic resonance studies of diffusion of hydrogen in amorphous alloys of the type Ni-Zr-P, 1 431
- proton and deuteron NMR in amorphous TiCuD_x , 1 427

Nucleation

- crystal nucleation and glass-forming ability of Cu-Zr in a containerless state, 1 147
- crystal nucleation in glass-forming alloys, 1 285
- crystallization and nucleation mechanisms in well-prepared Ni-Si-B glass, 1 365
- nucleation in bulk undercooled nickel-base alloys, 2 85
- transient nucleation in Zr-based metallic glasses, 1 313

Optical reflectivity

- optical reflectivity of glassy Pd-U-Si alloys, 3 311

Order-disorder transformation

- the effect of rapid solidification on the order-disorder transformation in iron-based alloys, 2 281

Ordering

- rapid solidification and ordering of B2 and L2₁ phases in the NiAl-NiTi system, 2 273

Oxidation behavior

- oxidation behavior of amorphous and polycrystalline Zr-Ni alloys, 3 497
- oxidation behaviour of some cobalt-based amorphous alloys, 3 533

Packing energetics

- local icosahedral packing energetics for d-band metals, 3 349

Pair distribution

- pair distribution function in icosahedral Al-Mn-Si alloy, 3 427

Palladium

- anelastic relaxation in amorphous $\text{Pd}_{39.5}\text{Ni}_{39.5}\text{P}_{21}$, 1 541
- close-packed phase with a seven-layer repeat unit prepared by rapid solidification: $\text{m-Nb}(\text{Rh}_{0.60}\text{Pd}_{0.40})_3$, 2 157
- compressive deformation of amorphous $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{20}$, 2 487
- EXAFS study on mechanical deformation for Pd-Si amorphous alloy, 2 553
- glass temperatures of variously quenched Pd-Cu-Si glasses, 1 191
- H in some Pd-Si-based amorphous alloys and in the crystallized states, 3 539
- influence of heterogeneous nuclei on the solidification of $\text{Pd}_{77.5}\text{Cu}_{16.5}\text{Si}_{6.5}$ glassy alloy, 1 195
- low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass, 3 231
- optical reflectivity of glassy Pd-U-Si alloys, 3 311
- physical properties of icosahedral and glassy Pd-U-Si alloys, 3 357

- preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy

$\text{Pd}_{58.8}\text{Si}_{20.6}\text{U}_{20.6}$, 3 431

- solid-liquid interfacial energy of Pd-16.5at.%Si glasses, 1 199

structural relaxation in Pd-Ge metallic glass, 1 523

viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{19}\text{Si}_1$, 1 449

Paramagnetism

- Hall effect in paramagnetic Co-Zr metallic glasses, 3 187
- pathways for microstructural development in TiAl, 2 265

Peening

- effects of peening on resistance to plastic deformation in a metallic glass, 2 505

Penrose tilings

- configurational entropy of two-dimensional random Penrose tilings, 3 339

Peritectoid transformation

- peritectoid transformation of quasicrystals in Al-Mn alloys, 3 417

Permeability

- fast dissipative and diffusional relaxation of the magnetic permeability in ferromagnetic metallic glasses, 3 27

Phase boundaries

- metastable phase boundaries of quasicrystalline phase, 3 367

Phonon

- measurements of the phonon density of states of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$, 1 231

Phosphorus

- anelastic relaxation in amorphous $\text{Pd}_{39.5}\text{Ni}_{39.5}\text{P}_{21}$, 1 541
 - behaviour of Fe-Cr-P-C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy-solution interface, 3 529
 - compressive deformation of amorphous $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{20}$, 2 487
 - crystallization of amorphous Cu-Ni-P alloys, 1 351
 - diffusivity of H in amorphous $\text{Ni}_{81}\text{P}_{19}$ and $\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8.0}\text{B}_{12.8}$ alloys, 1 437
 - effects of ultrahigh pressure on the crystallization temperature of $\text{Ni}_{80}\text{P}_{20}$ amorphous alloys, 1 247
 - influence of P and S additions on the mechanical, surface and thermal properties of $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ amorphous alloy, 2 495
 - irradiation-induced defects in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{P}_{20}$, 1 173
 - magnetic susceptibility and ^{31}P NMR study of the electronic structure of Ni-Cu-P alloys, 3 301
 - mechanical and magnetic properties of amorphous FeCrPC ribbons and wires, 2 539
 - NMR studies of diffusion of H in amorphous alloys of the type Ni-Zr-P, 1 431
 - relationship between crystallization temperature and pre-existing nuclei in amorphous Ni-P alloys 1 399
 - viscoplastic properties of Fe-Cr-P-C amorphous alloys, 1 493
 - viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{19}\text{Si}_1$, 1 449
- ## Photoelectron spectroscopy
- comparison of amorphous and liquid alloys by photoelectron spectroscopy, 3 257
 - electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{85}\text{X}_{15}$ (X \equiv Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, 3 317
 - photoelectron spectroscopy of metallic glasses: bulk, interface and surface properties, 3 239
- ## Photoemission studies
- photoemission studies on metallic glasses using synchrotron radiation, 3 265
- ## Photosensing device
- measurements of ultrarapid solidification rates in greatly undercooled bulk melts with a high speed photosensing device, 2 39

Physical properties

physical properties of icosahedral and glassy Pd-U-Si alloys, 3 357

Planar flow casting

IR measurements of the melt puddle in planar flow casting, 2 29

solidification structures of planar flow casting

Fe-(20-47)at.%Al ribbons, 2 295

IR thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting, 2 95

Plutonium

formation of metastable structures and amorphous phases in Pu-based systems using the triode sputtering technique, 2 57

Precipitation hardening

microstructure and mechanical properties of TiN

precipitation-hardened 316L stainless steel produced by

hot extrusion of rapidly solidified powder, 2 531

precipitation hardening in rapidly quenched Ti-Zr-B alloys, 2 179

Preparation

preparation and electrical properties of aluminium-based

ternary and quaternary quasicrystals, 3 435

preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films, 2 79

preparation and magnetic properties of Co-Gd amorphous alloy films by the electroplating method, 3 105

preparation and structural investigation by X-ray and

neutron scattering of quasicrystalline and glassy

$\text{Pd}_{58.8}\text{Si}_{20.6}\text{U}_{20.6}$, 3 431

preparation of bulk amorphous alloys by explosive

consolidation and properties of the prepared bulk, 2 457

preparation of bulk amorphous alloys by high temperature sintering under a high pressure, 2 415

Pressure characteristics

pressure characteristics at the pour-tube orifice in ultrasonic gas atomization, 2 65

Process control

process control during high pressure atomization, 2 47

Process parameters

effects of process parameters on melt-spun Ag-Cu, 2 89

Quantum corrections

quantum corrections to the conductivity in

$\text{Mg}_{70}\text{Cu}_{30-x}\text{Au}_x$, $x = 0, 1, 3, 9$, and $\text{Mg}_{70}\text{Zn}_{30-x}\text{Au}_x$,

$x = 0, 3$, 3 183

Quasicrystals

see 3 321-456

Quenching conditions

influence of the quenching conditions on the formation of the icosahedral phase in Al-Mn alloys 3 453

Quenching rate

effects of quenching rate on properties and structures of amorphous alloys, 2 535

influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass, 1 509

influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $\text{Nd}_{15}\text{Fe}_{77}\text{B}_8$, 3 143

Rapid melting

rapid melting and rapid quenching with microsecond current pulses, 1 105

Rapid solidification processing

see 2 1-122

Rare earths

effect of liquid phase separation on the microstructure of rapidly solidified Ti-rare earth alloys, 2 243

magnetic hardening in melt-spun Fe-R-B alloys, 3 137

magnetic ordering behavior of rare-earth-substituted Fe-Zr amorphous alloys, 3 69

rare-earth-Fe-B permanent magnets by rapid solidification processing, 3 11

Refractories

preparation of refractory transition metal-metalloid amorphous alloys and their thermal stability, 1 269

Relaxation

fast dissipative and diffusional relaxation of magnetic

permeability in ferromagnetic metallic glasses, 3 27

tetragonal distortion and its relaxation in rapidly quenched L_{10} TiAl compounds, 2 269

Relaxation and diffusion phenomena in amorphous alloys see 1 403-548

Relaxation parameters

relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys, 1 497

Relaxation processes

the influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass, 1 509

Resistivity

resistivity changes during structural relaxation of

amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$, 1 505

scattering mechanism of resistivity in amorphous

$\text{Fe}_{90-x}\text{Co}_x\text{Zr}_{10}$ alloys, 3 215

Resonant states

electronic properties and resonant states in Al-Mn(-Si) alloys, 3 353

Rhodium

close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-Nb($\text{Rh}_{0.60}\text{Pd}_{0.40}$), 2 157

microstructure characterization and stability of rapidly solidified Ni-Au and Rh-Cu alloys, 2 309

Ruthenium

formation powdered Hf-Ni, Hf-Cu and Hf-Ru materials

by mechanical alloying methods, 1 31

structure of quasicrystalline Al-Mn-Ru: X-ray and neutron studies, 3 345

Scandium

electronic transport properties of glassy Fe-Sc alloys, 3 179

Scattering mechanism

scattering mechanism of resistivity in amorphous

$\text{Fe}_{90-x}\text{Co}_x\text{Zr}_{10}$ alloys, 3 215

scattering mechanisms and transport properties of

Fe-transition metal-B amorphous alloys, 3 223

Segregation

reduced segregation in rapidly solidified Cu-Ni-Sn alloys, 2 335

segregation and structural effects of B in rapidly solidified Cu-B alloys, 3 513

Shape memory

high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni-Fe-Al system, 2 515

improvement in the mechanical properties of rapidly solidified shape memory alloys, 2 469

shape memory effects in rapidly quenched Cu-12%Al and Cu-12%Al-1%Si alloys, 2 509

Shear

structure of magnetic domains surrounding metallic glass shear bands, 2 483

Short-range order

changes in short-range order resulting from hydrogen

absorption of Fe_2Ce and Fe_2Er metallic glasses, 1 223

Silicon

absence of thermal embrittlement in some Fe-B and Fe-Si and Fe-Si-B glassy alloys, 2 491

characterization and kinetics of the crystallization of Al-Ni-Si amorphous alloys, 1 387

crystallization of icosahedral Al-Mn-Si, 3 399

diffusivity of H in amorphous $\text{Ni}_{81}\text{P}_{19}$ and

$\text{Ni}_{70}\text{Cr}_{6.7}\text{Fe}_{2.5}\text{Si}_{8.0}\text{B}_{12.8}$ alloys, 1 437

- electronic properties and resonant states in Al-Mn(-Si) alloys, 3 353
- EXAFS study on mechanical deformation for Pd-Si amorphous alloy, 2 553
- fatigue crack propagation in an $\text{Ni}_{78}\text{Si}_{10}\text{B}_{12}$ metallic glass with amorphous and partially crystalline structures, 2 501
- Fe-6.5wt.%Si ribbons prepared by the single- and double-roller techniques: comparative study of ribbon formation and microstructural peculiarities, 2 75
- formation metastable Nb-Si phases by picosecond and nanosecond pulsed laser quenching, 2 325
- glass temperatures of variously quenched Pd-Cu-Si glasses, 1 191
- H in some Pd-Si-based amorphous alloys and in the crystallized states, 3 539
- influence of Cu additions on the crystallization of amorphous Fe-Bi-Si alloys, 1 361
- influence of heterogeneous nuclei on the solidification of $\text{Pd}_{77.5}\text{Cu}_6\text{Si}_{16.5}$ glassy alloys, 1 195
- influence of P and S additions on the mechanical, surface and thermal properties of $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ amorphous alloy, 2 495
- influence of the induced anisotropy on the magnetic after-effect in amorphous $\text{Co}_{58}\text{Ni}_{10}\text{Fe}_{21}\text{B}_{11}$ alloy, 1 519
- low temperature calorimetric and magnetic properties of Al-Mn and Al-Mn-Si quasicrystals, 3 439
- low temperature internal friction peaks and thermoelastic damping in $\text{Ni}_{78}\text{Si}_{10}\text{B}_{12}$ and CoZr_2 metallic glasses, 1 501
- low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass, 3 231
- magnetic properties of amorphous FeC-SiB alloys annealed in a rotating magnetic field, 3 53
- microstructural characterization of rapidly solidified Al-Si alloys, 2 149
- microstructure of rapidly solidified and heat-treated Al-8Fe-2Mo-Si alloys, 2 131
- new amorphous Cu-Nb-(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, 1 47
- optical reflectivity of glassy Pd-U-Si alloys, 3 311
- pair distribution function in icosahedral Al-Mn-Si alloy, 3 427
- physical properties of icosahedral and glassy Pd-U-Si alloys, 3 357
- preparation and IR properties of crystalline and amorphous W and WSi_2 films, 2 79
- preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $\text{Pd}_{58.8}\text{Si}_{20.6}\text{U}_{20.6}$, 3 431
- production and properties of melt-spun Fe-6.5at.%Si ribbons, 3 73
- shape memory effects in rapidly quenched Cu-12%Al and Cu-12%Al-1%Si alloys, 2 509
- soft magnetic properties of crystalline Co-Fe-Si-B alloys prepared by sputtering, 3 57
- solid-liquid interfacial energy of Pd-16.5at.%Si glasses, 1 199
- solidification of an "amorphous" phase in rapidly solidified Al-Fe-Si alloys, 2 213
- structure analyses of amorphous melt-spun Fe-Zr-(B, Si) alloys and mechanically alloyed Fe-Zr powders, 1 59
- structure and properties of rapidly solidified Mg-Si alloys, 2 313
- study of thermal relaxation and crystallization of an $\text{Fe}_{81}\text{B}_{13.5}\text{Si}_{3.5}\text{C}_2$ amorphous ribbon, 1 321
- viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{10}\text{Si}_{10}$, 1 449
- Silver**
- effects of process parameters on melt-spun Ag-Cu, 2 89
- non-equilibrium Ag-TM alloys produced by vapour quenching (TM \equiv Cr, Mn, Fe and Co), 2 343
- study of small-angle X-ray scattering Al-Ag alloys quenched from the liquid state, 2 233
- Single-roller method**
- Fe-6.5 wt.%Si ribbons prepared by the single- and double-roller techniques: a comparative study of ribbon formation and microstructural peculiarities, 2 75
- Sintering**
- comparative performance of Nd-(Fe, Co)-B magnets formed by rapid quenching and by sintering, 3 123
- preparation of bulk amorphous alloys by high temperature sintering under a high pressure, 2 415
- Softness**
- effects of the softness of the interionic pair potential on the liquid-glass transition, 1 187
- Solid state reactions**
- see 1 1-136
- Solidification**
- comparison of microstructures and solidification behaviour of melt-spun Cu-Ni ribbons and bulk undercooled Cu-Ni alloys, 2 339
- influence of heterogeneous nuclei on solidification of $\text{Pd}_{77.5}\text{Cu}_6\text{Si}_{16.5}$ glassy alloy, 1 195
- operative mechanisms in the solidification of undercooled melts, 1 143
- solidification on a substrate, 2 13
- solidification phenomena in formation process of rapidly solidified metallic wire, 2 351
- Solid solutions**
- atomic structures of unconventional solid solutions, 2 377
- Spark erosion quenching**
- characteristics of Ni_3Al + Fe powders produced by spark erosion quenching, 2 33
- Specific heat**
- electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{1-x}\text{X}_x$ (X \equiv Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, 3 289
- specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe-B-Si alloy, 3 35
- Spectroscopic ellipsometry**
- spectroscopic ellipsometry of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$ and crystalline nickel, 3 281
- Spray deposition**
- evaluation of Al and Ni alloy materials produced by spray deposition, 2 227
- spray deposition of metals: a review, 2 381
- Spray quenching**
- warm consolidation of spray-quenched amorphous Ni-Fe-based alloy powders, 2 399
- Sputtering**
- Co-Cr thin film preparation by facing targets sputtering, 2 53
- formation of metastable structures and amorphous phases in Pu-based systems using the triode sputtering technique, 2 57
- soft magnetic properties of microcrystalline Co-Fe-Si-B alloys prepared by sputtering, 3 57
- Stability**
- local structure and stability of amorphous Cu-Fe-Zr alloys, 3 285
- microstructural stability of rapidly solidified Cu-B alloys, 2 161
- microstructure characterization and stability of rapidly solidified Ni-Au and Rh-Cu alloys, 2 309
- stability of quasicrystalline phases in Al-Fe-V alloys, 3 407
- Stainless steel**
- dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, 2 425
- microstructure of rapidly solidified stainless steel, 2 301
- Strain**
- strain-driven solid state amorphization of binary transition metal alloys, 1 93

Strength

enhanced strength in high conductivity Cu alloys, 2 543

Stress

viscous flow of amorphous alloys under compressive and tensile stresses, 1 483

Structural model

structural model for commensurate and non-periodic carbides formed by crystallization of amorphous Fe-C alloys, 1 273

Structural relaxation

algorithm to calculate activation energy spectra for structural relaxation in amorphous alloys, 1 545
 gaussian activation energy spectra in reversible and irreversible structural relaxation, 1 469
 kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, 1 537

measurements of structural relaxation in amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$ by differential scanning calorimetry, 1 533
 resistivity changes during structural relaxation of amorphous $\text{Fe}_{40}\text{Ni}_{40}\text{B}_{20}$, 1 505

reversible structural relaxation in metallic glasses, 1 461
 structural relaxation in Pd-Ge metallic glass, 1 523
 structural relaxation of e^- -irradiated amorphous alloys by tunnelling and thermally activated processes, 1 473
 viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{10}\text{Si}_{10}$, 1 449

Structures

atomic structures of unconventional solid solutions, 2 377
 effects of quenching rate on properties and structures of amorphous alloys, 2 535
 high pressure structural study of quasicrystalline Al-Mn, 3 403

influence of Nb addition on structure and properties of rapidly solidified intermetallics, 2 257

local structure and stability of amorphous Cu-Fe-Zr alloys, 3 285

preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $\text{Pd}_{58.8}\text{Si}_{20.6}\text{U}_{20.6}$, 3 431

segregation and structural effects of B in rapidly solidified Cu-B alloys, 3 513

simulation of the influence of hydrogen on the structural properties of amorphous iron, 3 551

solidification structures of planar flow casting Fe-(20-47)at.%Al ribbons, 2 295

structural changes of amorphous $\text{Fe}_{1-x}\text{C}_x$ alloys at $x \approx 0.32$, 3 31

structure analyses of amorphous melt-spun Fe-Zr-(B, Si) alloys and mechanically alloyed Fe-Zr powders, 1 59

structure and formation of amorphous alloys see 1 137-232

structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb-Bi-Ge, 2 347

structure and properties of rapidly solidified Mg-Si alloys, 2 313

structure of icosahedral Al-Mg-Cu alloy, 3 423

structure of magnetic domains surrounding metallic glass shear bands, 2 483

structure of quasi-crystalline Al-Mn-Ru: X-ray and neutron studies, 3 345

structure properties and fracture of electron beam welds in RS-PM, Al-8Fe-2Mo, 2 137

structures and properties of rapidly solidified Fe-Ni-Cr-C-based alloys, 2 285

structures in rapidly solidified Zn, 2 321

Substitution

influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe-B-Si alloys, 3 39

Sulphur

influence of P and S additions on the mechanical, surface and thermal properties of $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ amorphous alloys, 2 495

Superconducting transition

influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M-Zr ($M \equiv \text{Fe, Co or Ni}$), 3 309

Superconductivity

structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb-Bi-Ge, 2 347

superconductivity in crystalline and amorphous Nb-Zr thin films, 3 201

superconductivity in 3d series amorphous transition metal alloys, 3 175

Surface crystallization

surface crystallization of metallic glasses, 1 233

Surface melting

glass-forming conditions during laser surface melting, 1 177

laser surface melting of a pearlitic grey cast iron, 2 305

Surface properties

influence of P and S additions on the mechanical, surface and thermal properties of $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ amorphous alloy, 2 495

Synchrotron radiation

photoemission studies on metallic glasses using synchrotron radiation, 3 265

Synthesis

synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, 3 23

Tellurium

X-ray photoelectron spectroscopy on amorphous $\text{Cu}_x\text{Te}_{100-x}$ and Ni_x and $\text{Ni}_x\text{Te}_{100-x}$, 3 277

Temperature

IR thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting, 2 95

new concept of effective temperature to correlate isothermal and anisothermal continuous temperature-time-transformation curves—application of Fe-Ni-B amorphous alloys, 1 297

temperature dependence of longitudinal magnetoresistance in amorphous Fe-Cr-Si-B alloys, 3 211

Tensile properties

tensile and fatigue properties of two high-strength Al alloys prepared by rapid solidification technology, 2 475

Terbium

magnetic behaviour in amorphous $\text{Tb}_x\text{Cu}_{1-x}$ alloys ($x = 0.18, 0.22, 0.33, 0.50$ and 0.65), 3 161

measurements of the phonon density of states of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$, 1 231

spectroscopic ellipsometry of amorphous $\text{Ni}_{0.95}\text{Tb}_{0.05}$ and crystalline Ni, 3 281

Thermal properties

comparison between the thermal properties of Ni-Zr amorphous alloys obtained by mechanical alloying and melt-spinning, 1 317

influence of P and S additions on the mechanical, surface and thermal properties of $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ amorphous alloy, 2 495

magnetic and thermal properties of $(\text{Nd}_x\text{Fe}_{1-x})_{82.5}\text{B}_{17.5}$ glasses, 3 157

thermal properties of mechanically alloyed $\text{Ni}_{50}\text{Ti}_{50}$ powders, 1 121

Thermal relaxation

study of thermal relaxation and crystallization of an $\text{Fe}_{81}\text{B}_{13.5}\text{Si}_{3.5}\text{C}_2$ amorphous ribbon, 1 321

- low-temperature thermal and electrical resistivity in a Pd-Cu-Si metallic glass, 3 231
- Thermal stability**
 comparative study of the thermal stabilities and crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with $TM \equiv Co$ or Ni , $M \equiv P$ or Si and $0.00 \leq x \leq 0.12$ by differential scanning calorimetry and X-ray diffraction techniques, 1 373
 influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe-B-Si alloys, 3 39
 preparation of refractory transition metal-metalloid amorphous alloys and their thermal stability, 1 269
 thermal stability of the icosahedral phase in Al-Mn ($Mn \equiv 4-15$ at.%) alloys prepared by planar flow casting, 3 385
- Thermally activated processes**
 structural relaxation of e^- -irradiated amorphous alloys by tunnelling and thermally activated processes, 1 473
- Thermodynamics**
 thermodynamics of H in amorphous alloys: lattice-gas model, 3 463
- Thermoelastic damping**
 low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, 1 501
- Thin films**
 Co-Cr thin film preparation by facing targets sputtering, 2 53
 electron transport in co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys, 3 219
 microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, 3 153
 superconductivity in crystalline and amorphous Nb-Ar thin films, 3 201
 synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, 3 23
- Thorium**
 microstructural coarsening at high temperatures in rapidly solidified Ti-5wt.%Al-2.9wt.%Y and Ti-5wt.%Al-7.5wt.%Th, 2 173
- Tin**
 reduced segregation in rapidly solidified Cu-Ni-Sn alloys, 2 335
- Titanium**
 effect of liquid phase separation on the microstructure of rapidly solidified Ti-rare earth alloys, 2 243
 electrochemical behaviour of Cu-Ti glassy alloys, 3 517
 embrittlement of Ni-Ti-B glasses during crystallization, 1 279
 formation and crystallization of amorphous phases in the Ti-Be-Al system, 1 379
 joining mechanism of ceramics to metals using an amorphous Ti-based filler metal, 2 407
 large-angle neutron scattering studies of amorphous Fe_xTi_{1-x} alloys and hydrides, 1 157
 long-range ordering in rapidly quenched Ti-Al compounds, 2 169
 microstructural coarsening at high temperatures in rapidly solidified Ti-5wt.%Al-2.9wt.%Y and Ti-5wt.%Al-7.5wt.%Th, 2 173
 microstructural study of rapidly solidified Ti eutectoid alloys, 2 251
 microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, 2 531
 microstructure of $Ti_3Al + Nb$ alloys produced via rapid solidification processing, 2 395
 microstructures of rapidly quenched Ti-V-Cr-Er alloys, 2 239
 neutron diffraction study of the crystallization of hydrogenated Cu-Ti amorphous alloys, 1 391
- pathways for microstructural development in TiAl, 2 265
 precipitation hardening in rapidly quenched Ti-Zr-B alloys, 2 179
 properties of as-quenched and hydrogenated Cu-Fe-Ti alloys, 3 543
 properties of equiatomic TiNi alloy produced by rapid solidification, 2 443
 proton and deuteron NMR in amorphous $TiCuD_x$, 1 427
 rapid solidification and ordering B2 and $L2_1$ phases in the NiAl-NiTi system, 2 273
 solid state amorphization in Ni/Ti multilayers, 1 101
 tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds, 2 269
 thermal properties of mechanically alloyed $Ni_{50}Ti_{50}$ powder, 1 121
 X-ray diffraction study of the amorphization process in mechanical alloying of the Ni-Ti system, 1 43
- Topological ordering**
 topological ordering in model metallic glasses, 1 441
- Tracer diffusion**
 tracer diffusion in amorphous alloys, 1 409
- Transformation**
 crystal-to-glass transformation in metallic materials, 1 1
- Transformer**
 new design for amorphous core distribution transformer, 3 19
- Transition metals**
 amorphous transition metal-Zr alloys prepared by milling, 1 133
 comparative study of the thermal stabilities of crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with $TM \equiv Co$ or Ni , $M \equiv P$ or Si and $0.00 \leq x \leq 0.12$ by DSC and X-ray diffraction techniques, 1 373
 compositional correlations in the crystallization of Fe-transition metal-B glasses, 1 325
 electronic structure of amorphous transition metal alloys, 3 245
 electronic structures of $(Ni_{33}Zr_{67})_{85}X_{15}$ ($X \equiv Ti, V, Cr, Mn, Fe, Co$ and Cu) metallic glasses studied by photoelectron spectroscopy, 3 317
 electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ ($X \equiv Ti, V, Cr, Mn, Fe, Co, Ni$ or Cu) ternary metallic glasses studied by low temperature specific heat measurements, 3 289
 non-equilibrium alloys Ag-TM alloys produced by vapour quenching ($TM \equiv Cr, Mn, Fe$ and Co), 2 343
 preparation of refractory transition metal-metalloid amorphous alloys and their thermal stability, 1 269
 scattering mechanisms and transport properties of Fe-transition metal-B amorphous alloys, 3 223
 strain-driven solid state amorphization of binary transition metal alloys, 1 93
- Transition metal alloys**
 superconductivity in 3d series amorphous transition metal alloys, 3 175
- Transport properties**
 scattering mechanisms and transport properties of Fe-transition metal-B amorphous alloys, 3 223
- Tungsten**
 preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films, 2 79
 rapidly solidified tungsten-based alloys, 2 165
- Tunnelling**
 structural relaxation of e^- -irradiated amorphous alloys by tunnelling and thermally activated processes, 1 473
- Ultrahigh pressure**
 effects of ultrahigh pressure on the crystallization temperature of $Ni_{80}P_{20}$ amorphous alloys, 1 247

Ultrarapid solidification

measurements of ultrarapid solidification rates in greatly undercooled bulk melts with a high speed photosensing device, 2 39

Ultrasonic gas atomization

fluid flow behaviour and solidification studies during ultrasonic gas atomization, 2 43

pressure characteristics at the pour-tube orifice in ultrasonic gas atomization, 2 65

production of rapidly solidified Al-Pb-Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, 2 119

Undercooled melts

operative mechanisms in the solidification of undercooled melts, 1 143

Uranium

optical reflectivity of glassy Pd-U-Si alloys, 3 311

physical properties of icosahedral and glassy Pd-V-Si alloys, 3 357

preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $\text{Pd}_{58.8}\text{Si}_{20.6}\text{U}_{20.6}$, 3 431

Valve metal

laser and electron beam processing of electrodes consisting of amorphous Ni-valve metal-platinum group metal surface alloys on valve metal, 3 489

Vanadium

microstructures of rapidly quenched Ti-V-Cr-Er alloys, 2 239

rapid solidification of Al-rich Al-V alloys, 2 207

stability of quasicrystalline phases in Al-Fe-V alloys, 3 407

Vapour quenching

non-equilibrium alloys Ag-TM alloys produced by vapour quenching (TM \equiv Cr, Mn, Fe and Co), 2 343

Viscoplastic properties

viscoplastic properties of a Fe-Cr-P-C amorphous alloy, 1 493

Viscosity

viscosity and structural relaxation in $\text{Pd}_{40}\text{Ni}_{40}\text{P}_{10}\text{Si}_{10}$, 1 449

Viscous flow

viscous flow behaviour of the metallic glass $\text{Ni}_{30}\text{Zr}_{70}$ under continuous heating, 1 487

viscous flow in amorphous $\text{Fe}_{78}\text{B}_{13}\text{Si}_9$ alloy, 1 479

viscous flow of amorphous alloys under compressive and tensile stresses, 1 483

Water quenching

magnetic stability of water-quenched Co-based amorphous alloy, 3 119

Wetting

some considerations on wetting behaviour in liquid-alloy-substrate-metal systems, 2 111

Wire

solidification phenomena in formation process of rapidly solidified metallic wire, 2 351

Wire-casting

fundamental experimental parameters in the direct wire-casting process, 2 21

XANES

X-ray absorption near edge structure (XANES)—criterion for modelling the three-dimensional structure of amorphous $\text{Fe}_{80}\text{B}_{20}$, 1 169

X-ray absorption spectroscopy

solid state reaction in multilayers studied by X-ray absorption spectroscopy, 1 109

X-ray diffraction

comparative study of the thermal stabilities and crystallization processes of amorphous

$\text{Zr}_{0.67}\text{TM}_{0.33-x}\text{M}_x$ alloys with TM \equiv Co or Ni, M \equiv P

or Si and $0.00 \leq x \leq 0.12$ by differential scanning calorimetry and X-ray diffraction techniques, 1 373

X-ray diffraction study of the amorphous process in mechanical alloying of the Ni-Ti system, 1 43

X-ray diffraction study of the crystallization characteristics of amorphous Co-B ribbons, 1 329

X-ray photoelectron spectroscopy

many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses, 3 261

X-ray photoelectron spectroscopy on amorphous $\text{Cu}_x\text{Te}_{100-x}$ and $\text{Ni}_x\text{Te}_{100-x}$, 3 277

X-ray scattering

phase separation in amorphous Zr-Fe alloys determined by anomalous X-ray scattering and magnetization measurements, 1 163

preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $\text{Pd}_{58.8}\text{Si}_{20.6}\text{U}_{20.6}$, 3 431

X-ray small-angle scattering

neutron and X-ray small-angle scattering with Fe-based metallic glasses, 1 227

study of small-angle X-ray scattering of Al-Ag alloys quenched from the liquid state, 2 233

X-ray studies

structure of quasicrystalline Al-Mn-Ru: X-ray and neutron studies, 3 345

Yttrium

corrosion behaviour of rapidly solidified Mg-Nd and Mg-Y alloys, 3 507

magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys, 3 113

microstructural coarsening at high temperatures in rapidly solidified Ti-5wt.%Al-2.9wt.%Y and Ti-5wt.%Al-7.5wt.%Th, 2 173

Zinc

quantum corrections to the conductivity in $\text{Mg}_{70}\text{Cu}_{30-x}\text{Au}_x$, $x = 0, 1, 3, 9$, and $\text{Mg}_{20}\text{Zn}_{30-x}\text{Au}_x$, $x = 0, 3$, 3 183

structures in rapidly solidified Zn, 2 321

Zirconium

amorphous transition metal-Zr alloys prepared by milling, 1 133

comparative study of the thermal stabilities and crystallization processes of amorphous

$\text{Zr}_{0.67}\text{TM}_{0.33-x}\text{M}_x$ alloys with TM \equiv Co or Ni, M \equiv P or Si and $0.00 \leq x \leq 0.12$ by DSC and X-ray diffraction techniques, 1 373

comparison between the thermal properties of Ni-Zr amorphous alloys obtained by mechanical alloying and melt spinning, 1 317

crystal nucleation and glass-forming ability of Cu-Zr in a containerless state, 1 147

crystallization of amorphous NiZr_2 , 1 307

determination of the free energy of equilibrium and metastable phases in the Cu-Zr system, 1 79

development of Al-Cr-X and Al-Cr-Zr-X alloys by rapid solidification from the melt, 2 143

differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, 1 83

electronic structure of hydrogenated amorphous Ni-Zr alloys, 3 253

electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{85}\text{X}_{15}$ (X \equiv Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, 3 317

electronic structure of $(\text{Ni}_{33}\text{Zr}_{67})_{1-x}\text{X}_x$ (X \equiv Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, 3 289

formation and properties of mechanically alloyed amorphous Fe-Zr, 1 39

- formation of amorphous Ni-Zr powders by mechanical alloying, **1** 25
- Hall effect in paramagnetic Co-Zr metallic glasses, **3** 187
- host and H diffusion in Ni-Zr metallic glass, **1** 419
- influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous lining metallic alloys M-Zr ($M \equiv \text{Fe}, \text{Co}$ or Ni), **3** 309
- investigation of the microstructure of an $\text{Fe}_{91}\text{Zr}_9$ catalyst prepared from the amorphous alloy, **3** 501
- local evidence for re-entrant magnetic behaviour in amorphous $\text{Fe}_{90}\text{Zr}_{10}$ alloys, **3** 65
- local structure and stability of amorphous Cu-Fe-Zr alloys, **3** 285
- low temperature interval friction peaks and thermoelastic damping in $\text{Ni}_{78}\text{Si}_8\text{B}_{14}$ and CoZr_2 metallic glasses, **1** 501
- magnetic ordering behaviour of rare-earth-substituted Fe-Zr amorphous alloys, **3** 69
- microstructural stability of rapidly quenched Al-Fe alloys: Influenced of zirconium, **2** 191
- NMR studies of diffusion of H in amorphous alloys of the type Ni-Zr-P, **1** 431
- oxidation behaviour of amorphous and polycrystalline Zr-Ni alloys, **3** 497
- phase separation in amorphous Zr-Fe alloys determined by anomalous X-ray scattering magnetization measurements, **1** 163
- scattering mechanism of resistivity in amorphous $\text{Fe}_{90-x}\text{Co}_x\text{Zr}_{10}$ alloys, **3** 215
- solid state interdiffusion reactions on Ni/Zr diffusion couples
- solid-state reaction and electrocatalytic activity of rapidly quenched $\text{Zr}_{50}\text{Co}_{30}\text{Ni}_{20}$ alloys, **3** 469
- structure analyses of amorphous Fe-Zr-(B, Si) alloys and mechanically alloyed Fe-Zr powders, **1** 59
- superconductivity in crystalline and amorphous Nb-Zr thin films, **3** 201
- transient nucleation in Zr-based metallic glasses, **1** 313
- viscous flow behaviour of the metallic glass $\text{Ni}_{30}\text{Zr}_{70}$ under continuous heating, **1** 487